

AOC Pro-line 24P3CV - P3 Series

LED monitor - 24" (23.8" viewable) - 1920 x 1080 Full HD (1080p) @ 75 Hz - IPS - 300 cd/m² - 1000:1 - 4 ms - HDMI - DisplayPort - USB-C - speakers - black - B2B

Group	Flat Screens
Manufacturer	AOC
Manufacturer item no.	24P3CV
EAN/UPC	4038986140751



Description

The AOC 24P3CV is a 23.8" flat-screen IPS monitor with an attractive three-sided ultrathin bezel design that helps you get the most out of your flexible work style. Enjoy vivid, realistic picture quality thanks to enhanced Full HD (1920 x 1080) resolution, paired with 300-nit brightness and generous 178/178° wide viewing angles. This model features built-in 2 W + 2 W speakers to let you enjoy the media whenever you need. Monitor 24P3CV is ready to boost your productivity with USB-C supporting Power Delivery up to 65 W, data transfer and DP-alt mode. Connectivity of this monitor is enhanced with USB Hub, RJ-45 and DP-out. Keeping sustainability in mind, an array of environmental certifications including EPA, TCO, and EPEAT complete this monitor.

Main features

Product Description	AOC Pro-line 24P3CV - P3 Series - LED monitor - Full HD (1080p) - 24"
Device Type	LED-backlit LCD monitor - 24"
Features	KVM Switch, USB 3.2 Gen 1 hub, Ethernet network adapter, USB PD 65 Watt
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 75 Hz
Pixel Pitch	0.2745 mm
Brightness	300 cd/m ²
Contrast Ratio	1000:1
Response Time	4 ms (grey-to-grey)
Colour Support	16.7 million colours
Input Connectors	HDMI, DisplayPort, USB-C
Built-in Ethernet	Yes
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Screen Coating	Anti-glare, 3H Hard Coating
Voltage	AC 100-240 V (50/60 Hz)
Colour	Black
Pricing Type	B2B
Compliant Standards	EPA, TCO Certified 9.0

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Diagonal Size	24"
Viewable Size	23.8"
Built-in Devices	KVM Switch, USB 3.2 Gen 1 hub, Ethernet network adapter
USB Power Delivery	65 Watt
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 75 Hz
Pixel Pitch	0.2745 mm
Pixel Per Inch	93
Brightness	300 cd/m ²
Contrast Ratio	1000:1
Colour Support	16.7 million colours
Response Time	4 ms (grey-to-grey)
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	WLED
OSD Languages	Czech, Chinese (traditional), Chinese (simplified), English, German, French, Italian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Japanese, Korean
Features	Low Blue Light Mode, Adaptive-Sync technology, USB 3.0 Fast Charge, 3-sided frameless, AOC Flicker-Free Technology
Colour	Black
	Audio
Type	Speakers - stereo
Output Power / Channel	2 Watt
	Connectivity
Interfaces	HDMI 1.4 DisplayPort 1.2 USB-C 3.2 (DisplayPort Alt Mode, data, power up to 65W) 4 x USB 3.2 Gen 1 (fast charging) Headphones (mini-jack) LAN (RJ-45)
	Mechanical
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+35
Swivel Angle	360
Rotation Angle	180
Height Adjustment	150 mm
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), textured finish

Cables Included	1 x HDMI cable - 1.8 m 1 x DisplayPort cable - 1.8 m 1 x USB-C to USB-C / USB-A cable - 1.8 m
MTBF	50,000 hour(s)
Compliant Standards	EPA, TCO Certified 9.0
Pricing Type	B2B
Security Slot Type	Kensington security slot
	Power
Input Voltage	AC 100-240 V (50/60 Hz)
	Manufacturer Warranty
Service & Support	Limited warranty - 3 years

Technical data © 1WorldSync. Subject to technical modifications and errors.