

Arozzi Primo - Chair - ergonomic

recliner - armrests - tilt - swivel - polyurethane leather - metal frame
- black - red

Group	Furniture
Manufacturer	Arozzi
Manufacturer item no.	PRIMO-PU-RD
EAN/UPC	0850009447326



Description

Arozzi's signature ergonomic design makes using this chair easier on your back and posture for longer periods of use. The Arozzi Primo comes with an adjustable internal lumbar support which is controlled by a knob on the side of the backrest, as well as a soft neck pillow made out of velour.

Main features

Product Description	Arozzi Primo - chair - polyurethane leather, metal frame - black, red
Product Type	Chair - ergonomic - recliner - armrests - tilt - swivel
Headrest	Yes
Casters	Yes
Seat Height	47.5 cm - 57.5 cm
Seat Depth	52 cm
Lumbar Support	Yes
Assembly Required	Yes
Material	Polyurethane leather, metal frame
Colour	Black, red
Width	74 cm
Depth	52 cm
Weight	23 kg

Extended details

	General
Product Type	Chair - ergonomic - recliner - armrests - tilt - swivel
Package Content	Head pillow
Headrest	Yes
Armrest Qty	2
Casters	Yes
Tilt Tension Adjustment	Yes
Max Load Weight	145 kg
Material	Polyurethane leather, metal frame

Colour	Black, red
Assembly Required	Yes
Features	Gas lift height adjustment, up to 12° rocking, up to 145° tilt, rocker function
	Seat
Width	52 cm
Adjustable Height	Yes
Height	47.5 cm - 57.5 cm
Depth	52 cm
Material	Polyurethane leather
Features	70 kg/m ³ foam padding density
	Backrest
Width	54 cm
Height	83 cm
Lumbar Support	Yes - adjustable: Yes
Material	Polyurethane leather
Features	65 kg/m ³ foam padding density
	Base
Design	5-pointed star
Width	70 cm
Casters	5
Material	Metal frame
	Armrests
Adjustable Armrests	Depth, height, swivel, tilt
Height	32 cm - 39 cm
Height Adjustment Range	7 cm
Features	4D adjustable
	Dimensions & Weight
Width	74 cm
Depth	52 cm
Backrest	Width: 54 cm height: 83 cm
Weight	23 kg
	Dimensions & Weight (Shipping)
Shipping Width	87 cm
Shipping Depth	67 cm
Shipping Height	33.5 cm
Shipping Weight	26 kg
	Miscellaneous
Compliant Standards	BIFMA

Technical data © 1WorldSync. Subject to technical modifications and errors.