

ASUS BE279QSK - LED monitor - 27"

1920 x 1080 Full HD (1080p) @ 60 Hz - IPS - 250 cd/m² - 1000:1 - 5 ms - HDMI - VGA - DisplayPort - speakers

Group	Flat Screens
Manufacturer	ASUS
Manufacturer item no.	90LM04P1-B02370
EAN/UPC	4711081091103



Description

ASUS BE279QSK is a 27-inch Full HD monitor that features an integrated Full HD (2MP) webcam, microphone array and stereo speakers for videoconferencing and livestreaming. With Full HD resolution and an IPS panel for wide-angle viewing, it delivers incredibly sharp imagery and stunning video playback. Its ergonomic design with tilt, swivel, pivot, and height adjustments provides a comfortable viewing experience, and compatibility with a standard 100 x 100mm VESA mount allows flexible wall mounting or installation on a display arm.

Main features

Product Description	ASUS BE279QSK - LED monitor - Full HD (1080p) - 27"
Device Type	LED-backlit LCD monitor - 27"
Energy Class	Class C
Power Consumption (On mode)	14 W
Features	Webcam
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.311 mm
Brightness	250 cd/m ²
Contrast Ratio	1000:1 / 100000000:1 (dynamic)
Response Time	5 ms (grey-to-grey)
Input Connectors	HDMI, VGA, DisplayPort
Audio Input	Array microphone
Built-in Webcam	2 Megapixel
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Screen Coating	Anti-glare
Voltage	AC 100-240 V (50/60 Hz)
Dimensions (WxDxH) - with stand (lowest position)	61.1 cm x 26.6 cm x 39.8 cm
Weight	6.8 kg

Environmental Standards	TCO Certified Displays 8
Compliant Standards	TUV Rheinland Low Blue Light Certification, TUV Rheinland Flicker Free Certification, DisplayPort 1.2

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class C
Diagonal Size	27"
Built-in Devices	Webcam
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.311 mm
Brightness	250 cd/m ²
Contrast Ratio	1000:1 / 100000000:1 (dynamic)
Response Time	5 ms (grey-to-grey)
Vertical Refresh Rate	50 - 61 Hz
Horizontal Refresh Rate	30 - 83 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare
Backlight Technology	LED backlight
Features	HDCP, ASUS Splendid Video Intelligence Technology, Trace Free Technology, ASUS QuickFit Virtual Scale, Low Blue Light Mode, Flicker Free technology, Colour Temperature Selection
Dimensions (WxDxH)	61.1 cm x 26.6 cm x 39.8 cm - with stand (lowest position)
Weight	6.8 kg
	Built-in Webcam
Sensor Resolution	2 Megapixel
	Audio Input
Type	Array microphone
	Audio
Type	Speakers - stereo
Output Power / Channel	2 Watt
	Connectivity
Interfaces	Audio line-in Headphones VGA HDMI DisplayPort USB
	Mechanical

Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+35
Swivel Angle	360
Rotation Angle	180
Height Adjustment	150 mm
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately)
Compliant Standards	TUV Rheinland Low Blue Light Certification, TUV Rheinland Flicker Free Certification, DisplayPort 1.2
Security Slot Type	Kensington security slot
	Power
Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption (On mode)	14 W
Power Consumption SDR (On mode)	14 kWh/1000h
Power Consumption (Typical)	30 Watt
Power Consumption Stand by	0.5 Watt
Power Consumption (Off Mode)	0 Watt
On / Off Switch	Yes
	Dimensions & Weight
Dimensions & Weight Details	With stand (lowest position) - width: 61.1 cm - depth: 26.6 cm - height: 39.8 cm - weight: 6.8 kg With stand (highest position) - width: 61.1 cm - depth: 26.6 cm - height: 54.8 cm - weight: 6.8 kg Without stand - width: 61.1 cm - depth: 5.6 cm - height: 39.6 cm - weight: 4.8 kg
	Dimensions & Weight (Shipping)
Shipping Width	71.2 cm
Shipping Depth	22.8 cm
Shipping Height	46.8 cm
Shipping Weight	9.3 kg
	Environmental Standards
TCO Certified	TCO Certified Displays 8

Technical data © 1WorldSync. Subject to technical modifications and errors.