



ASUS ZenScreen GO MB16AHP - LCD monitor

15.6" - portable - 1920 x 1080 Full HD (1080p) - IPS - 250 cd/m² - 700:1 - Micro HDMI - USB-C - speakers - black

| | |
|-----------------------|-----------------|
| Group | Flat Screens |
| Manufacturer | ASUS |
| Manufacturer item no. | 90LM04T0-B01170 |
| EAN/UPC | 4718017258470 |

Description

ZenScreen Go MB16AHP with a large 7800 mAh built-in battery is designed to keep you productive, wherever you are. It weighs only 0.86 kilograms and is 9 millimeters thin. USB-C and micro-HDMI connectivity enables displaying content from a wide-range of portable devices, so you can enjoy an expansive view for the best work and entertainment experiences.

Main features

| | |
|-----------------------------|--|
| Product Description | ASUS ZenScreen GO MB16AHP - LCD monitor - Full HD (1080p) - 15.6" |
| Device Type | LCD monitor - 15.6" |
| Energy Class | Class F |
| Power Consumption (On mode) | 13 W |
| Features | Lithium-polymer battery (7800 mAh) |
| Panel Type | IPS |
| Aspect Ratio | 16:9 |
| Native Resolution | Full HD (1080p) 1920 x 1080 |
| Pixel Pitch | 0.179 mm |
| Brightness | 250 cd/m ² |
| Contrast Ratio | 700:1 |
| Input Connectors | Micro HDMI, USB-C |
| Colour | Black |
| Dimensions (WxDxH) | 35.966 cm x 0.9 cm x 22.739 cm |
| Weight | 860 g |
| Compliant Standards | UL, VCCI, BSMI, cUL, WHQL, CB, CCC, FCC, RoHS, KCC, WEEE, J-MOSS, UkrSEPRO, RCM, BIS, CU-EAC, TUV Rheinland Low Blue Light Certification, TUV Rheinland Flicker Free Certification |

Extended details

General



| | |
|---|---|
| Display Type | LCD monitor / TFT active matrix |
| Energy Class | Class F |
| Diagonal Size | 15.6" |
| Built-in Devices | Lithium-polymer battery (7800 mAh) |
| Panel Type | IPS |
| Aspect Ratio | 16:9 |
| Native Resolution | Full HD (1080p) 1920 x 1080 |
| Pixel Pitch | 0.179 mm |
| Brightness | 250 cd/m ² |
| Contrast Ratio | 700:1 |
| Features | Glare, ASUS Splendid Video Preset Mode, ASUS GamePlus, Slim Design, Low Blue Light Mode, Flicker Free technology, ASUS EyeCare Technology, auto-rotation, USB 3.0 Quick Charge, Wide Viewing Angle, Super Narrow Bezel Design |
| Colour | Black |
| Dimensions (WxDxH) | 35.966 cm x 0.9 cm x 22.739 cm |
| Weight | 860 g |
| Audio | |
| Type | Speakers - stereo |
| Output Power / Channel | 1 Watt |
| Connectivity | |
| Interfaces | USB-C Micro HDMI |
| Miscellaneous | |
| Included Accessories | ZenScreen pen, ASUS Smart Case |
| Cables Included | 1 x USB-C cable 1 x USB-C to USB-A adapter 1 x micro HDMI cable |
| Compliant Standards | UL, VCCI, BSMI, cUL, WHQL, CB, CCC, FCC, RoHS, KCC, WEEE, J-MOSS, UkrSEPRO, RCM, BIS, CU-EAC, TUV Rheinland Low Blue Light Certification, TUV Rheinland Flicker Free Certification |
| Power | |
| Power Consumption (On mode) | 13 W |
| Power Consumption SDR (On mode) | 13 kWh/1000h |
| Power Consumption (Typical) | 9 Watt |
| Power Consumption Stand by | 0 Watt |
| Power Consumption (Off Mode) | 0 Watt |
| Software / System Requirements | |
| OS Required | Apple MacOS, Linux, Microsoft Windows, Google Chrome OS |
| Dimensions & Weight (Shipping) | |
| Shipping Width | 48.5 cm |
| Shipping Depth | 7.6 cm |
| Shipping Height | 30.5 cm |
| Shipping Weight | 3.1 kg |
| Manufacturer Warranty | |
| Service & Support | Limited warranty - 3 years |
| Environmental Parameters | |



Min Operating Temperature 5 °C

Max Operating Temperature 35 °C

Humidity Range Operating 20 - 90%

Technical data © CNET Content Solutions. Subject to technical modifications and errors.