



ASUS ROG Gladius II Core - Mouse

right-handed - optical - wired - USB - black - for 15; ROG Strix G15; ROG Zephyrus Duo 15; ROG Zephyrus G14; TUF505; ZenBook 13; 14

Group	Input Devices
Manufacturer	ASUS
Manufacturer item no.	90MP01D0-B0UA00
EAN/UPC	4718017329729

Description

ROG Gladius II Core channels the classic Gladius optical gaming mouse spirit into an accessible form, sporting non-slip sides etched with the iconic ROG totem. Gladius II Core has a 6200-dpi optical sensor, and independent left and right buttons for accurate response and precise control. With right-handed ergonomics for extended comfort, a fatigue-preventing lightweight build, push-fit switch sockets and integrated Aura Sync illumination, Gladius II Core is primed for outstanding victories.

Main features

Product Description	ASUS ROG Gladius II Core - mouse - USB - black
Device Type	Mouse
Connectivity Technology	Wired - USB
Colour	Black
Orientation	Right-handed
Dimensions (WxDxH)	6.7 cm x 12.6 cm x 4.5 cm
Weight	92.5 g
Movement Detection Technology	Optical
Movement Resolution	6200 dpi
Performance	30 G maximum acceleration, up to 220 inches per second
Features	Easy-swap switch socket, separate right/left buttons, ASUS Aura Sync RGB LED, Pixart PAW 3327 optical gaming sensor
OS Required	Windows 10 (32/64 bits)
Designed For	ASUSPRO P1; 14; 15; ExpertBook B9450; ROG Strix G GL531; ROG Strix G15; G17; ROG Strix SCAR 17; ROG Zephyrus Duo 15; ROG Zephyrus G14; M15; S15; S17; TUF Gaming A15; A17; F15; F17; FX505; FX705; TUF505; VivoBook 14; 15; 17; VivoBook Flip 12 TP202; 14 TP401; X543; ZenBook 13; 14; ZenBook Duo UX481

Extended details

General

Device Type	Mouse
Orientation	Right-handed
Width	6.7 cm
Depth	12.6 cm
Height	4.5 cm
Weight	92.5 g
Colour	Black

Input Device

Connectivity Technology	Wired
Interface	USB
Movement Detection Technology	Optical
Movement Resolution	6200 dpi
Performance	30 G maximum acceleration, up to 220 inches per second
Features	Easy-swap switch socket, separate right/left buttons, ASUS Aura Sync RGB LED, Pixart PAW 3327 optical gaming sensor

Software / System Requirements

Software Included	ROG Armoury II
OS Required	Windows 10 (32/64 bits)

Compatibility Information

Designed For	ASUSPRO P1 P1440FA-C53P ¦ ASUS 14 X409JA-EK026T ¦ ASUS 15 M509BA-EJ183T, M509DA-EJ025, M509DA-EJ1062T, S509DA-EJ029T ¦ ASUS ExpertBook B9450FA BM0445R ¦ ASUS ROG Strix G GL531GU WB53 ¦ ASUS ROG Strix G15 G512LU-AL041T, G512LW-WS74 ¦ ASUS ROG Strix G17 G712LU-H7015T, G712LU-H7023T, G712LV-EV023T, G712LV-H7074T, G712LV-H7077T ¦ ASUS ROG Strix SCAR 17 G732LV-EV029T, G732LWS-HG029T, G732LXS-HG014R, G732LXS-XS94 ¦ ASUS ROG Zephyrus Duo 15 GX550LWS-32T, GX550LWS-HC037T, GX550LXS-XS96 ¦ ASUS ROG Zephyrus G14 GA401II-025T, GA401II-HE092T, GA401II-HE109T, GA401IU-HE002 ¦ ASUS ROG Zephyrus M15 GU502LV-HC049T, GU502LW-HN138T ¦ ASUS ROG Zephyrus S15 GX502LWS-HF020T ¦ ASUS ROG Zephyrus S17 GX701LWS-EV029T, GX701LWS-EV076T, GX701LWS-HG052R, GX701LWS-HG052T, GX701LXS-HG007T ¦ ASUS TUF Gaming A15 FX506II-HN111T, FX506IU-HN222T, FX506IU-HN296T ¦ ASUS TUF Gaming A17 FX706II-AU031T ¦ ASUS TUF Gaming F15 FX506IH-BQ224T, FX506LH-BQ030, FX506LH-HN111T, FX506LI-BQ052T, FX506LI-HN023T, FX506LI-HN222T, FX506LU-HN037T, FX506LU-HN333T ¦ ASUS TUF Gaming F17 FX706LI-AU022T, FX706LI-H7010T ¦ ASUS TUF Gaming FX505DT BQ000T, BQ137T, HN549T, HN565T, HN571T, WB72 ¦ ASUS TUF Gaming FX505DV ¦ ASUS TUF Gaming FX705DT ¦ ASUS TUF Gaming FX705DY ¦ ASUS TUF505DV HN232T ¦ ASUS VivoBook 14 K413FA-EK695T, M413IA-EB371T ¦ ASUS VivoBook 15 F512JA-EJ011T, X512DA-EJ1458T, X512FB-BR468T, X512FJ-EJ529T, X512JA-BQ147T ¦ ASUS VivoBook 17 M712DA-AU311T, X712FA-AU606R, X712FA-AU642T, X712FA-AU643T, X712FA-AU848T ¦ ASUS VivoBook Flip 12 TP202NA CMSP, QMSP, XS04 ¦ ASUS VivoBook Flip 14 TP401MA CMSP, QMSP ¦ ASUS X543UA GO3047T, GQ2636T ¦ ASUS ZenBook 13 UX334FAC-A4113T ¦ ASUS ZenBook 14 UM433IQ-PURE5, UX425JA-BM090R, UX431FA-AN168T, UX433FAC-AI258R, UX434FAC-A5188T ¦ ASUS ZenBook Duo UX481FL
--------------	---



Technical data © CNET Content Solutions. Subject to technical modifications and errors.