

Canon CanoScan LiDE 300 - Flatbed scanner

Contact Image Sensor (CIS) - A4/Letter - 2400 dpi x 2400 dpi - USB 2.0

Group	Scanners
Manufacturer	Canon
Manufacturer item no.	2995C010
EAN/UPC	4549292119770



Description

Compact and affordable, this lightweight scanner is perfect for those wanting straightforward scanning at the touch of a button.

Main features

Product Description	Canon CanoScan LiDE 300 - flatbed scanner - desktop - USB 2.0
Device Type	Flatbed scanner - desktop
Interface Type	USB 2.0
Scanning Sensor Type	Contact Image Sensor (CIS)
Light Source	3-colour RGB LED
Additional Functions	Scan to cloud
Max Supported Document Size	216 x 297 mm
Input Type	Colour
Grayscale / Color Depth	16-bit (64K grey levels) / 48-bit colour
Grayscale / Color Depth (External)	8-bit (256 grey levels) / 48-bit colour
Optical Resolution	2400 dpi x 2400 dpi
Interpolated Resolution	19200 dpi
Max Document Size	216 mm x 297 mm
Supported Document Type	Plain paper, bulk objects (such as books, magazines and other bound materials)
System Requirements	Microsoft Windows 7, Microsoft Windows 7 SP1, Windows 8.1, Windows 10, Apple MacOS X 10.11.6, Apple macOS 10.12 - 10.13

Dimensions (WxDxH)	25 cm x 36.7 cm x 4.2 cm
Weight	1.7 kg

Extended details

General

Type	Flatbed scanner - desktop
Interface Type	USB 2.0
Additional Functions	Scan to cloud
Max Supported Document Size	216 x 297 mm

Scanner

Input Type	Colour
Grayscale Depth	16-bit (64K grey levels)
Grayscale Depth (External)	8-bit (256 grey levels)
Colour Depth	48-bit colour
Colour Depth (External)	48-bit colour
Optical Resolution	2400 dpi x 2400 dpi
Interpolated Resolution	19200 dpi
Scanning Sensor Type	Contact Image Sensor (CIS)
Bulb / Light Source Type	3-colour RGB LED
Control Panel Buttons Functions	Copy, AutoScan, send to, PDF
Scanner Speed Details	10 sec/scan - colour - A4 - 300 dpi ; 5 sec/scan - colour - 4x6 - 300 dpi ; 9 sec/scan - preview ; 14.8 ms/line - colour - 2400 dpi ; 6.6 ms/line - colour - 1200 dpi ; 3.8 ms/line - colour - 600 dpi ; 2.2 ms/line - colour - 300 dpi ; 4.3 ms/line - greyscale - 2400 dpi ; 2.2 ms/line - greyscale - 1200 dpi ; 1.3 ms/line - greyscale - 600 dpi ; 2.2 ms/line - greyscale - 300 dpi
Scanner Features	Auto Document Fix, Auto Scan Mode, Auto Photo Fix, 4 EZ Buttons, Advanced Z-lid Expansion Top

Media Handling

Max Document Size	216 mm x 297 mm
Supported Document Type	Plain paper, bulk objects (such as books, magazines and other bound materials)

Expansion / Connectivity

Interfaces	USB 2.0 - Mini-B
------------	------------------

Miscellaneous

Cables Included	1 x USB cable
Power	
Power Consumption Operational (Standby)	4.5 Watt
Power Consumption Stand by	0.3 Watt
Software / System Requirements	
Software Included	Drivers & Utilities
OS Required	Microsoft Windows 7, Microsoft Windows 7 SP1, Windows 8.1, Windows 10, Apple MacOS X 10.11.6, Apple macOS 10.12 - 10.13
Dimensions & Weight	
Width	25 cm
Depth	36.7 cm
Height	4.2 cm
Weight	1.7 kg
Environmental Parameters	
Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	10 - 90% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.