



Canon imageRUNNER 2625i, Laser, Mono printing, 1200 x 1200 DPI, A3, Direct printing, Grey

7" (LCD - Touch) - A3 - Monochrome - Laser - 17 / 25 ppm - 1200 x 1200 dpi - 15 / 25 ppm - 1200 x 1200 dpi - 35 / 25 ipm - 600 x 600 dpi - 33.6 kbps - 400 x 400 dpi - Gigabit LAN - 802.11 b/g/n - 4 x USB 2.0 - 73.6 kg

Group	Printing Accessories
Manufacturer	Canon
Manufacturer item no.	3808C004
EAN/UPC	4549292150926

Description

The ultimate document solution for modern offices

Optimised for businesses with demanding print requirements

Advanced personalisation

Display options enable multiple users to personalise one-touch controls to speed up daily tasks

Workflow efficiency

Powers through big print jobs thanks to large paper capacity and ultra-quick document processing

Mobile connectivity

Print, scan, copy or send documents from any compatible device via advanced mobile connections

Enhanced security

Protect your device, data and network with a multilayer security offering.

Usability

Easy to operate and control thanks to intuitive interface designed to simplify workflows.

Cloud control

Maximise your investment with uniFLOW Online Express, our cloud-based print management solution.

Fast processing speeds

Efficient, fast duplex printing and colour scanning

Flexible authentication

Centralised user management and cost control options

Intuitive display

Large 7"/17.8cm full colour touchscreen with easy operability

High quality images

Print resolutions up to 1,200 x 1,200 dpi

Main features

General

Print technology	Laser
Printing	Mono printing
Maximum resolution	1200 x 1200 DPI
Copying	Mono copying
Maximum copy resolution	1200 x 1200 DPI
Scanning	Mono scanning
Optical scanning resolution	600 x 600 DPI
Maximum ISO A-series paper size	A3
Wi-Fi	Y
Direct printing	Y
Product colour	Grey

Extended details

Printing

Print technology	Laser
Printing	Mono printing
Duplex printing	Y
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	25 ppm
Print speed (black, normal quality, A3)	15 ppm
Warm-up time	12 s
Warm-up time (from sleep mode)	10 s
Secure printing	Y
Booklet printing function	Y

Copying

Copying	Mono copying
Maximum copy resolution	1200 x 1200 DPI
Copy speed (black, normal quality, A4)	25 cpm
Copy speed (black, normal quality, A3)	15 cpm
Time to first copy (black, normal)	5.9 s
Maximum number of copies	9999 copies
Copier resize	25 - 400 %
N-in-1 copy function	Y
ID-card copy function	Y

Edge erase function	Y
Scanning	
Scanning	Mono scanning
Duplex scanning	Y
Optical scanning resolution	600 x 600 DPI
Maximum scan area	297 x 431.8 mm
Scanner type	Flatbed & ADF
Scan to	Cloud, USB
Scan drivers	TWAIN,WIA
Paper handling	
Maximum ISO A-series paper size	A3
Paper tray media types	Plain paper, Recycled paper, Thick paper, Thin paper
Multi-purpose tray media types	Bond paper, Envelopes, Labels, Plain paper, Recycled paper, Thick paper, Thin paper, Transparencies
ISO A-series sizes (A0...A9)	A3,A4,A5
ISO B-series sizes (B0...B9)	B4,B5
Envelopes sizes	10,C5,DL,Monarch
Custom media width	139.7 - 182 mm
Custom media length	297 - 431.8 mm
Paper tray media weight	60 - 128 g/m ²
Multi-Purpose Tray media weight	52 - 220 g/m ²
Duplex media weight	60 - 105 g/m ²
Input & output capacity	
Total input capacity	1200 sheets
Total output capacity	250 sheets
Paper input type	Cassette
Auto document feeder (ADF)	Y
Auto document feeder (ADF) input capacity	50 sheets
Maximum input capacity	2300 sheets
Maximum output capacity	545 sheets
Network	
Wi-Fi	Y
Ethernet LAN	Y
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11b,802.11g,Wi-Fi 4 (802.11n)
Security algorithms	802.1x RADIUS,APOP,IPSec,SMTP-AUTH,SNMPv3
Mobile printing technologies	Apple AirPrint,Canon PRINT Business,Google Cloud Print,Mopria Print Service
Performance	
Internal memory	2048 MB
Built-in processor	Y
Processor cores	2

Sound pressure level (printing)	70.2 dB
---------------------------------	---------

Design

Product colour	Grey
Market positioning	Home & office
Built-in display	Y
Display	LCD
Display diagonal	17.8 cm
Touchscreen	Y
Control type	Touch
Colour display	Y

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Power

Power consumption (max)	1500 W
Power consumption (standby)	20 W
Power consumption (sleep)	0.6 W
Power consumption (off)	0.09 W
Energy Star Typical Electricity Consumption (TEC)	1.3 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

Features

Digital sender	Y
Printing colours	Black, White
Page description languages	PCL 6, UFR II
Number of printer fonts	241

Ports & interfaces

Direct printing	Y
USB port	Y
USB 2.0 ports quantity	4

Weight & dimensions

Width	586 mm
Depth	713 mm
Height	912 mm
Weight	73.6 kg

Technical details

Sustainability certificates	Blue Angel
-----------------------------	------------

Operational conditions



Operating relative humidity (H-H)	20 - 80 %
Operating temperature (T-T)	10 - 30 °C
Other features	
Finishing option	Y