



Canon i-SENSYS LBP226dw - Printer

B/W - Duplex - laser - A4/Legal - 1200 x 1200 dpi - up to 38 ppm - capacity: 350 sheets - USB 2.0 - Gigabit LAN - Wi-Fi(n) - USB host

Group	Printers
Manufacturer	Canon
Manufacturer item no.	3516C007
EAN/UPC	4549292133967

Description

Productive and efficient, these single-function mono laser printers are perfect for businesses in need of speed and reliability.

Main features

Product Description	Canon i-SENSYS LBP226dw - printer - B/W - laser
Printer Type	Workgroup printer - laser - B/W
Weight	9.5 kg
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Min Media Size (Custom)	76.2 mm x 127 mm
Max Media Size (Custom)	216 mm x 356 mm
Print Speed	Up to 38 ppm - B/W - A4 (210 x 297 mm) † Up to 63.1 ppm - B/W - A5 (148 x 210 mm) † Up to 31.9 ipm - B/W duplex - A4 (210 x 297 mm)
Max Resolution (B&W)	1200 x 1200 dpi
Automatic Duplexing	Yes
Interface	USB 2.0, Gigabit LAN, Wi-Fi(n), USB host
AirPrint Enabled	Yes
RAM Installed (Max)	1 GB
Language Simulation	PCL 5E, PostScript 3, PCL 6, PDF, Canon Ultra Fast Rendering (UFR II), TIFF, JPEG
Media Type	Envelopes, labels, plain paper, recycled paper, thin paper, postcards
Total Media Capacity	350 sheets
Media Handling	100-sheet multipurpose tray, 250-sheet paper cassette
Monthly Duty Cycle (max)	80000 pages
Recommended Monthly Volume	750 - 4000 pages
Networking	Print server
Power	AC 230V
System Requirements	Linux, Microsoft Windows 7, Microsoft Windows Server 2008 R2, Microsoft Windows Server 2008, Android, Apple iOS, Microsoft Windows Server 2012,



Microsoft Windows Server 2012 R2, Windows 8.1, Windows 10, Microsoft Windows Server 2016, Apple MacOS X 10.9.5 or later, Microsoft Windows Server 2019, Apple macOS 10.14

Dimensions (WxDxH) 40.1 cm x 37.3 cm x 25 cm

Extended details

General

Printer Type Workgroup printer - laser - monochrome

Printer

Print Speed Up to 38 ppm - B/W - A4 (210 x 297 mm) | Up to 63.1 ppm - B/W - A5 (148 x 210 mm) | Up to 31.9 ipm - B/W duplex - A4 (210 x 297 mm)

Built-in Devices Numeric key pad, 5-line backlit LCD display

Connectivity Technology Wireless

Interface USB 2.0, Gigabit LAN, Wi-Fi(n), USB host

AirPrint Enabled Yes

Max Resolution (B&W) 1200 x 1200 dpi

Automatic Duplexing Yes

First Print Out Time B/W 5.5 sec

Language Simulation PCL 5E, PostScript 3, PCL 6, PDF, Canon Ultra Fast Rendering (UFR II), TIFF, JPEG

Fonts Included 45 x PCL | 136 x PostScript

Media Handling 100-sheet multipurpose tray, 250-sheet paper cassette

RAM

RAM Installed (Max) 1 GB

Media Handling

Media Type Envelopes, labels, plain paper, recycled paper, thin paper, postcards

Media Size Class A4/Legal

Max Media Size Legal (216 x 356 mm), A4 (210 x 297 mm)

Min Media Size (Custom) 76.2 mm x 127 mm

Max Media Size (Custom) 216 mm x 356 mm

Media Sizes ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), Statement (139.7 x 215.9 mm), 76.2 x 127 mm, Oficio (216 x 343 mm), Foolscap (216 x 343 mm)

Envelope Sizes International DL (110 x 220 mm), Com-10 (105 x 241 mm), International C5 (162 x 229 mm), Monarch (98.4 x 190.5 mm)

Media Weight 60 g/m² - 163 g/m²

Total Media Capacity 350 sheets

Media Feeders Paper cassette: 1 - 250 sheets - Legal (216 x 356 mm)/A4 (210 x 297 mm) weight: 60 g/m² - 120 g/m² | Multi-purpose tray: 1 - 100 sheets - Legal (216 x 356 mm)/A4 (210 x 297 mm) weight: 60 g/m² - 163 g/m²

Output Trays Capacity 150 sheets

Duty Cycle

Monthly Duty Cycle (max) 80000 pages

Recommended Monthly Volume 750 - 4000 pages

Networking



Networking	Print server
Security Protocols & Features	Secure Print
Expansion / Connectivity	
Connections	1 x USB 2.0 - 4 pin USB Type B 1 x Gigabit LAN - RJ-45 1 x USB host - 4 pin USB Type A
Miscellaneous	
Consumables Included	1 x toner cartridge (black) - up to 1500 pages
Power	
Power Device	Power supply
Voltage Required	AC 230V
Frequency Required	50/60 Hz
Power Consumption Operational	1330 Watt
Power Consumption Stand by	9 Watt
Power Consumption Sleep	0.9 Watt
Software / System Requirements	
Software Included	Drivers & Utilities
OS Required	Linux, Microsoft Windows 7, Microsoft Windows Server 2008 R2, Microsoft Windows Server 2008, Android, Apple iOS, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2, Windows 8.1, Windows 10, Microsoft Windows Server 2016, Apple MacOS X 10.9.5 or later, Microsoft Windows Server 2019, Apple macOS 10.14
Environmental Parameters	
Min Operating Temperature	10 °C
Max Operating Temperature	30 °C
Humidity Range Operating	20 - 80% (non-condensing)
Sound Emission (Operating)	54 dB
Dimensions & Weight	
Width	40.1 cm
Depth	37.3 cm
Height	25 cm
Weight	9.5 kg

Technical data © CNET Content Solutions. Subject to technical modifications and errors.