



Canon PIXMA TS5350 - Multifunction printer

colour - ink-jet - A4 (210 x 297 mm) - Letter A (216 x 279 mm) (original) - A4/Legal (media) - up to 13 ipm (printing) - 200 sheets - USB 2.0 - Bluetooth - Wi-Fi(n) - black

Group	Multifunction Printers
Manufacturer	Canon
Manufacturer item no.	3773C006
EAN/UPC	4549292149753

Description

With snappy connectivity from palm to print, this chic and sleek 3-in-1 multifunctional is the ideal tool for crafts and creations - and the perfect print partner for your smartphone.

Main features

Product Description	Canon PIXMA TS5350 - multifunction printer - colour
Device Type	Multifunction printer
Printing Technology	Ink-jet (colour)
Inkjet Technology	Canon FINE (Full-lithography inkjet Nozzle Engineering) - 4-ink
Max Printing Speed	Up to 13 ipm (mono) / up to 6.8 ipm (colour)
Max Printing Resolution	4800 x 1200 dpi (colour)
Scanning	1200 x 2400 dpi
Display	1.44"
Original Size	A4 (210 x 297 mm), Letter A (216 x 279 mm) (max)
Original Type	Sheets
Media Size	88.9 x 88.9 mm (min) - Legal (216 x 356 mm), 215.9 x 676 mm (max)
Media Type	Envelopes, plain paper, iron-on transfers, glossy photo paper, matte photo paper, high resolution paper, luster paper, semi-gloss paper, magnetic photo paper, restickable photo paper
Standard Media Capacity	200 sheets
Automatic Duplexing	Yes (printing)
Connection Availability	Yes
Interface	USB 2.0, Bluetooth, Wi-Fi(n)
AirPrint Enabled	Yes
Office Machine Features	PIXMA Cloud Link, access point mode
Power	AC 120/230 V (50/60Hz)
Dimensions (WxDxH)	40.3 cm x 31.5 cm x 14.8 cm
Weight	6.3 kg

Enclosure Colour	Black
------------------	-------

Extended details

General

Device Type	Multifunction printer
Printing Technology	Ink-jet - colour
Display Diagonal Size	1.44"
Connection Availability	Yes
Interface	USB 2.0, Bluetooth, Wi-Fi(n)
AirPrint Enabled	Yes
Office Machine Features	PIXMA Cloud Link, access point mode
Enclosure Colour	Black

Copying

Max Document Enlargement	400%
Max Document Reduction	25%
Maximum Copies	99
Copying Features	2 on 1, fit to page

Printing

Inkjet Technology	Canon FINE (Full-lithography inkjet Nozzle Engineering)
Max Printing Resolution	4800 x 1200 dpi (colour)
Max Printing Speed	Up to 13 ipm (mono) / up to 6.8 ipm (colour)
Ink Cartridge Configuration	1 black cartridge, 1 colour cartridge (cyan, magenta, yellow)
Ink Palette Supported (Colours)	Cyan, magenta, yellow, black
Colour	4-ink
Ink Type	Canon ChromaLife100
Automatic Duplexing	Yes

Scanning

Scan Element	CIS
Optical Resolution	1200 x 2400 dpi
Grayscale Depth	8-bit
Colour Depth	8-bit
Colour Depth (Internal)	16-bit

Document & Media Handling

Max Original Size	A4 (210 x 297 mm), Letter A (216 x 279 mm)
Supported Original Sizes	ANSI A (Letter) (216 x 279 mm), A4 (210 x 297 mm)
Original Type	Sheets
Min Media Size	88.9 x 88.9 mm
Max Media Size	A4/Legal
Min Media Weight	64 g/m ²
Max Media Weight	300 g/m ²
Supported Media Type	Envelopes, plain paper, iron-on transfers, glossy photo paper, matte photo paper, high resolution paper, luster paper, semi-gloss paper, magnetic photo paper, restickable photo paper



Supported Media Sizes	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), 100 x 150 mm, 130 x 180 mm, 200 x 250 mm, 130 x 130 mm, 215.9 x 676 mm, 89 x 89 mm
Supported Envelope Sizes	International DL (110 x 220 mm), Com-10 (105 x 241 mm)
Borderless Photo Sizes	ANSI A (Letter) (216 x 279 mm), A4 (210 x 297 mm), 100 x 150 mm, 130 x 180 mm, 200 x 250 mm, 130 x 130 mm, 89 x 89 mm
Standard Media Capacity	200 sheets
Document & Media Handling Details	Input tray - 100 sheets size: 89 x 89 mm - 215.9 x 676 mm weight: 64 g/m ² - 300 g/m ² Paper cassette - 100 sheets size: 148 x 210 mm - 215.9 x 297 mm weight: 64 g/m ² - 105 g/m ²
Speed Details	Printing: up to 13 ipm - B/W Printing: up to 6.8 ipm - colour Printing: 43 sec (10 x 15 cm (4"x6")) - photo
Connections	
Interfaces	1 x USB 2.0 - 4 pin USB Type B
Operating System Support	MS Windows 7 SP1, Android, iOS, Windows 8.1, Windows 10, Windows 10 Mobile, Apple Mac OS X 10.11.6 - macOS 10.14
Software Included	Drivers & Utilities, Canon Easy-PhotoPrint Editor
Power	
Voltage Required	AC 120/230 V (50/60Hz)
Power Consumption Operational	19 Watt
Power Consumption Standby	0.9 Watt
Miscellaneous	
Direct Printing Specifications	PictBridge
First Copy Out Time Colour	20 sec
Consumables Included	1 x Cartridge (black) 1 x Cartridge (colour)
Dimensions & Weight	
Width	40.3 cm
Depth	31.5 cm
Height	14.8 cm
Weight	6.3 kg
Environmental Parameters	
Sound Emission	43.5 dBA (idle)
Min Operating Temperature	15 °C
Max Operating Temperature	30 °C
Humidity Range Operating	10 - 80% (non-condensing)

Technical data © CNET Content Solutions. Subject to technical modifications and errors.