

Dell P3424WEB - LED monitor - curved

34" (34.14" viewable) - 3440 x 1440 UWQHD @ 60 Hz - IPS - 300 cd/m² - 1000:1 - 5 ms - HDMI - DisplayPort - USB-C - speakers - with 3 years Advanced Exchange Basic Warranty

Group	Flat Screens
Manufacturer	Dell
Manufacturer item no.	DELL-P3424WEB
EAN/UPC	5397184657072



Description

Dell P3424WEB - LED monitor - curved - 34" (34.14" viewable) - 3440 x 1440 UWQHD @ 60 Hz - IPS - 300 cd/m² - 1000:1 - 5 ms - HDMI, DisplayPort, USB-C - speakers - with 3 years Advanced Exchange Basic Warranty

Main features

Product Description	Dell P3424WEB - LED monitor - curved - 34"
Device Type	LED-backlit LCD monitor - 34"
Energy Class	Class F
Power Consumption (On mode)	31.5 W
Curved Screen	Yes
Features	Microphone, camera, KVM ports, USB 3.2 Gen 1/USB-C hub, USB PD 90 Watt
Panel Type	IPS
Aspect Ratio	21:9
Native Resolution	UWQHD 3440 x 1440 at 60 Hz
Pixel Pitch	0.2325 mm
Brightness	300 cd/m²
Contrast Ratio	1000:1
Response Time	5 ms (grey-to-grey fast), 8 ms (grey-to-grey normal)
Colour Support	1.07 billion colours
Colour Gamut	99% sRGB
Input Connectors	HDMI, DisplayPort, USB-C
Built-in Ethernet	Yes

Audio Input	2 digital microphones
Built-in Webcam	4 Megapixel - 2560 x 1440 at 30 fps
Display Position Adjustments	Height, swivel, tilt
Screen Coating	Anti-glare, 3H Hard Coating
Voltage	AC 100-240 V (50/60 Hz)
Dimensions (WxDxH) - with stand (lowest position)	81.565 cm x 24.247 cm x 44.589 cm
Weight	10.83 kg
Environmental Standards	ENERGY STAR Qualified EPEAT Gold
Compliant Standards	Plug and Play, RoHS, NFPA 99, TUV Rheinland, BFR-free, PVC-free, TCO Certified Edge
Bundled Services	3 years Advanced Exchange Basic Warranty

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class F
Diagonal Size	34"
Viewable Size	34.14"
Curved Screen	Yes (3800R)
Built-in Devices	Microphone, camera, KVM ports, USB 3.2 Gen 1/USB-C hub
USB Power Delivery	90 Watt
Panel Type	IPS
Aspect Ratio	21:9
Native Resolution	UWQHD 3440 x 1440 at 60 Hz
Pixel Pitch	0.2325 mm
Pixel Per Inch	109.68
Brightness	300 cd/m ²
Contrast Ratio	1000:1
Colour Support	1.07 billion colours
Colour Gamut	99% sRGB
Response Time	5 ms (grey-to-grey fast), 8 ms (grey-to-grey normal)
Vertical Refresh Rate	56 - 76 Hz

Horizontal Refresh Rate	30 - 90 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	LED backlight
Features	Picture in picture, picture by picture, Mercury free, arsenic-free glass, Dell Easy Arrange, Low Blue Light technology, 2-sided bezeless, Dell ComfortView Plus, flicker-free panel
Dimensions (WxDxH)	81.565 cm x 24.247 cm x 44.589 cm - with stand (lowest position)
Weight	10.83 kg
Built-in Webcam	
Sensor Resolution	4 Megapixel
Max Video Resolution	2560 x 1440 at 30 fps
Digital Zoom	4
Features	Auto Focus, Microsoft Teams compatible, Zoom compatible, 78° field of view, Cortana compatible, Windows Hello compatible, F 2.0 lens aperture
Audio Input	
Type	2 digital microphones
Audio	
Type	Speakers - stereo
Output Power / Channel	5 Watt
Connectivity	
Interfaces	HDMI DisplayPort 1.2 (HDCP 2.2) USB-C 3.2 Gen 1 upstream/DisplayPort 1.2 Alt Mode with Power Delivery (power up to 90W) USB-B 3.2 Gen 1 upstream 2 x USB 3.2 Gen 1 downstream USB 3.2 Gen 1 downstream with Battery Charging 1.2 USB-C 3.2 Gen 1 downstream Headphone jack Network (RJ-45)
Mechanical	
Display Position Adjustments	Height, swivel, tilt
Tilt Angle	-5/+21
Swivel Angle	60
Height Adjustment	150 mm
VESA Mounting Interface	100 x 100 mm
Miscellaneous	

Features	Security lock slot (cable lock sold separately), VESA interface support, with camera shutter, cable management system
Cables Included	1 x DisplayPort cable - DisplayPort to DisplayPort - 1.8 m 1 x USB-C 3.2 Gen 1 cable - 1.8 m 1 x USB 3.2 Gen 1 upstream cable - USB Type A to B - 1.8 m
Compliant Standards	Plug and Play, RoHS, NFPA 99, TUV Rheinland, BFR-free, PVC-free, TCO Certified Edge
Security Slot Type	Kensington security slot
	Power
Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption (On mode)	31.5 W
Power Consumption SDR (On mode)	32 kWh/1000h
Power Consumption (Typical)	28.08 Watt
Power Consumption (Max)	210 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt
	Software / System Requirements
Included Software	Dell Display Manager
	Dimensions & Weight
Dimensions & Weight Details	With stand (lowest position) - width: 81.565 cm - depth: 24.247 cm - height: 44.589 cm - weight: 10.83 kg Without stand - width: 81.565 cm - depth: 8.485 cm - height: 41.999 cm - weight: 7.43 kg With stand (highest position) - width: 81.565 cm - depth: 24.247 cm - height: 59.589 cm - weight: 10.83 kg
	Dimensions & Weight (Shipping)
Shipping Weight	15.85 kg
	Sustainability Information
EPEAT Compliant	EPEAT Gold
ENERGY STAR Certified	Yes
ENERGY STAR Version	8.0
	Manufacturer Warranty
Bundled Services	3 years Advanced Exchange Basic Warranty
	Environmental Parameters
Min Operating Temperature	0 °C

Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.