imcopex

Dell UltraSharp U2419HC - LED monitor

24" (23.8" viewable) - 1920 x 1080 Full HD (1080p) @ 60 Hz - IPS - 250 cd/m² - 1000:1 - 5 ms - HDMI - DisplayPort - USB-C - with 3-Years Advanced Exchange Service and Premium Panel Guarantee - for Latitude 7400 2-in-1; XPS 13 9380 - 15 9570

Group	Flat Screens
Manufacturer	Dell
Manufacturer item no.	DELL-U2419HC
EAN/UPC	5397184092538

Description

Experience superb screen performance on this 23.8” monitor in an innovative, stylishly thin design with USB-C connectivity.

Main features

Product Description	Dell UltraSharp U2419HC - LED monitor - Full HD (1080p) - 24"
Device Type	LED-backlit LCD monitor - 24"
Energy Class	Class A+
Energy Consumption per Year	22 kWh
Power Consumption (On mode)	15 W
Features	USB 3.0 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.2745 mm
Brightness	250 cd/m²
Contrast Ratio	1000:1
Response Time	8 ms (normal); 5 ms (fast)
Colour Support	16.7 million colours
Input Connectors	HDMI, DisplayPort, USB-C
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Screen Coating	Anti-glare, 3H Hard Coating
Dimensions (WxDxH) - with stand	53.8 cm x 16.5 cm x 34.8 cm
Weight	7.55 kg
Environmental Standards	TCO Certified Displays 8, ENERGY STAR Qualified
Compliant Standards	RoHS, HDCP 1.4
Bundled Services	3-Years Advanced Exchange Service and Premium Panel Guarantee
Designed For	Latitude 7400 2-in-1; XPS 13 9380, 15 9570

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class A+
Energy Consumption per Year	22 kWh
Diagonal Size	24"
Viewable Size	23.8"
Built-in Devices	USB 3.0 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.2745 mm
Pixel Per Inch	92.5
Brightness	250 cd/m²
Contrast Ratio	1000:1
Colour Support	16.7 million colours
Response Time	8 ms (normal); 5 ms (fast)
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	LED backlight
Features	Daisy chain compatible, BFR/PVC-free, Mercury free, 99.9% sRGB colour gamut, Dell Easy Arrange, arsenic free, 99% Rec 709 colour gamut, 85% DCI-P3
Dimensions (WxDxH)	53.8 cm x 16.5 cm x 34.8 cm - with stand
Weight	7.55 kg
	Connectivity
Interfaces	DisplayPort (HDCP) ¦ DisplayPort output (MST) ¦ HDMI (HDCP) ¦ USB-C ¦ 4 x USB 3.0 downstream (Type A) ¦ Audio line-out (mini-jack)
	Mechanical
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+21
Swivel Angle	80
Height Adjustment	130 mm
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), VESA interface support, anti-theft stand lock slot
Cables Included	1 x DisplayPort cable - DisplayPort to DisplayPort ¦ 1 x USB-C cable
Compliant Standards	RoHS, HDCP 1.4
Security Slot Type	Kensington security slot
	Power
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption (On mode)	15 W
Power Consumption Operational	17.5 Watt

Power Consumption (Typical)	17.5 Watt
Power Consumption Stand by	0.3 Watt
On / Off Switch	No
	Software / System Requirements
OS Required	Microsoft Windows 7 / 8 / 8.1 / 10
	Dimensions & Weight
Dimensions & Weight Details	Without stand - width: 53.85 cm - depth: 3.9 cm - height: 31.37 cm - weight: 3.37 kg ¦ With stand - width: 53.8 cm - depth: 16.5 cm - height: 34.8 cm - weight: 7.55 kg
	Environmental Standards
TCO Certified	TCO Certified Displays 8
ENERGY STAR Certified	Yes
	Manufacturer Warranty
Service & Support	Limited warranty - 3 years
Bundled Services	3-Years Advanced Exchange Service and Premium Panel Guarantee
	Environmental Parameters
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)
	Compatibility Information
Designed For	Dell Latitude 7400 2-in-1 ¦ Dell XPS 13 9380, 15 9570

Technical data © CNET Content Solutions. Subject to technical modifications and errors.