Dell 34 Video Conferencing Monitor C3422WE

LED monitor - curved - 34.14" (34.14" viewable) - 3440 x 1440 UWQHD @ 60 Hz - IPS - 300 cd/m² - 1000:1 - 5 ms - HDMI - DisplayPort - USB-C - speakers - with 3 years Advanced Exchange Basic Warranty - for Latitude 5320 - 5520; Precision 7560; XPS 13 9310 - 15 9510

Group	Flat Screens
Manufacturer	Dell
Manufacturer item no.	DELL-C3422WE
EAN/UPC	5397184504925

Description

Bring your meetings to life on this 34-inch curved WQHD monitor with an integrated 5MP camera, dual 5W speakers and a dedicated, one-touch Teams button.

Main features

Product Description	Dell 34 Video Conferencing Monitor C3422WE - LED monitor - curved - 34.14" - with 3-year Basic Advanced Exchange
Device Type	LED-backlit LCD monitor - 34.14"
Energy Class	Class F
Power Consumption (On mode)	31.5 W
Curved Screen	Yes
Features	5.0 megapixel camera, USB 3.2 Gen 1/USB-C hub, USB PD 90 Watt
Panel Type	IPS
Aspect Ratio	21:9
Native Resolution	UWQHD 3440 x 1440 at 60 Hz
Pixel Pitch	0.2325 mm
Brightness	300 cd/m²
Contrast Ratio	1000:1
Response Time	8 ms (grey-to-grey normal); 5 ms (grey-to-grey fast)
Colour Support	1.07 billion colours
Colour Gamut	99% sRGB
Input Connectors	HDMI, DisplayPort, USB-C
Display Position Adjustments	Height, swivel, tilt
Screen Coating	Anti-glare 3H hardness
Voltage	AC 120/230 V (50/60 Hz)
Dimensions (WxDxH) - with stand	81.585 cm x 23.495 cm x 45.62 cm
Weight	10.84 kg
Environmental Standards	TCO Certified Displays 8, TCO Certified Edge Displays, ENERGY STAR Qualified

Compliant Standards	RoHS, DisplayPort 1.2, BFR-free, DisplayPort 1.4, HDCP 2.2, PVC-free
Bundled Services	3 years Advanced Exchange Basic Warranty
Designed For	Latitude 5320, 5520; Precision 7560; XPS 13 9310, 15 9510

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class F
Diagonal Size	34.14"
Viewable Size	34.14"
Curved Screen	Yes (3800R)
Built-in Devices	5.0 megapixel camera, USB 3.2 Gen 1/USB-C hub
USB Power Delivery	90 Watt
Panel Type	IPS
Aspect Ratio	21:9
Native Resolution	UWQHD 3440 x 1440 at 60 Hz
Pixel Pitch	0.2325 mm
Pixel Per Inch	109.68
Brightness	300 cd/m²
Contrast Ratio	1000:1
Colour Support	1.07 billion colours
Colour Gamut	99% sRGB
Response Time	8 ms (grey-to-grey normal); 5 ms (grey-to-grey fast)
Vertical Refresh Rate	56 - 76 Hz
Horizontal Refresh Rate	30 - 90 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare 3H hardness
Backlight Technology	LED backlight
Features	Flicker Free technology, Mercury free, arsenic-free glass, 3-sided bezeless, 99% sRGB colour gamut
Dimensions (WxDxH)	81.585 cm x 23.495 cm x 45.62 cm - with stand
Weight	10.84 kg
	Audio
Type	Speakers - stereo
Output Power / Channel	5 Watt
	Connectivity
Interfaces	HDMI (HDCP 2.2) ¦ DisplayPort 1.2 (HDCP 2.2) ¦ USB-C 3.2 Gen 1 upstream/DisplayPort 1.4 Alt Mode (power up to 90W) ¦ USB 3.2 Gen 1 upstream (Type B) ¦ USB-C 3.2 Gen 1 downstream (power up to 15W) ¦ 2 x USB 3.2 Gen 1 downstream ¦ USB 3.2 Gen 1 downstream with Battery Charging 1.2 ¦ Headphones ¦ Network (RJ-45) ¦ DisplayPort output (MST)
	Mechanical
Display Position Adjustments	Height, swivel, tilt

Tilt Angle	-5/+21
Swivel Angle	60
Height Adjustment	120 mm
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), VESA interface support, cable management panel
Cables Included	1 x DisplayPort cable - DisplayPort to DisplayPort - 1.8 m ¦ 1 x USB-C cable - 1.8 m ¦ 1 x USB 3.2 Gen 1 upstream cable - USB Type A to B - 1.8 m
Compliant Standards	RoHS, DisplayPort 1.2, BFR-free, DisplayPort 1.4, HDCP 2.2, PVC-free
Security Slot Type	Kensington security slot
	Power
Input Voltage	AC 120/230 V (50/60 Hz)
Power Consumption (On mode)	31.5 W
Power Consumption SDR (On mode)	31.5 kWh/1000h
Power Consumption (Typical)	32.5 Watt
Power Consumption (Max)	220 Watt
Power Consumption Stand by	0.4 Watt
Power Consumption (Off Mode)	0.3 Watt
	Software / System Requirements
Included Software	Dell Display Manager
	Dimensions & Weight
Dimensions & Weight Details	With stand - width: 81.585 cm - depth: 23.495 cm - height: 45.62 cm - weight: 10.84 kg ¦ Without stand - width: 81.585 cm - depth: 8.108 cm - height: 43.443 cm - weight: 7.3 kg
	Dimensions & Weight (Shipping)
Shipping Weight	11.35 kg
	Environmental Standards
TCO Certified	TCO Certified Displays 8, TCO Certified Edge Displays
ENERGY STAR Certified	Yes
	Manufacturer Warranty
Bundled Services	3 years Advanced Exchange Basic Warranty
	Environmental Parameters
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)
	Compatibility Information
Designed For	Dell Latitude 5320, 5520 ¦ Dell Precision 7560 ¦ Dell XPS 13 9310, 15 9510

Technical data © CNET Content Solutions. Subject to technical modifications and errors.