



Epson EcoTank ET-4850 - Multifunction printer

colour - ink-jet - refillable - A4 (media) - up to 15.5 ppm (printing) - 250 sheets - 33.6 Kbps - USB - LAN - Wi-Fi - black

Group	Printers
Manufacturer	Epson
Manufacturer item no.	C11CJ60402
EAN/UPC	8715946683751

Description

Your business needs a printer that's fast, affordable, easy to use, and has premium productivity features. That's why Epson developed the EcoTank ET-4850 - an innovative cartridge-free solution that uses high-capacity, easily refillable ink tanks. The ET-4850 offers fax, productive paper handling, a high-resolution flatbed scanner, and convenient 2.4" color touchscreen - making it the perfect printer for your office.

Main features

Product Description	Epson EcoTank ET-4850 - multifunction printer - colour
Device Type	Multifunction printer
Fax Type	Super G3 - plain paper
Printing Technology	Ink-jet (colour)
Inkjet Technology	Epson PrecisionCore - 4-ink
Refillable Tank	Yes
Max Printing Speed	Up to 15.5 ppm (mono) / up to 8.5 ppm (colour)
Max Printing Resolution	Up to 4800 x 1200 dpi (mono) / up to 4800 x 1200 dpi (colour)
Max Printing Resolution Class	Up to 4800 x 1200 dpi (mono) / up to 4800 x 1200 dpi (colour)
Max Fax Transmission Speed	33.6 Kbps
Scanning	1200 x 2400 dpi
Original Type	Sheets
Document Feeder Capacity	30 sheets
Media Size	A4 (210 x 297 mm) (max)
Media Type	Envelopes, plain paper, photo paper
Standard Media Capacity	250 sheets
Output Trays Capacity	30 sheets
Automatic Duplexing	Yes (printing)
Connection Availability	Yes
Interface	USB, LAN, Wi-Fi
AirPrint Enabled	Yes

Dimensions (WxDxH)	37.5 cm x 34.7 cm x 23.1 cm
Weight	6.7 kg
Enclosure Colour	Black

Extended details

General

Device Type	Multifunction printer
Fax Type	Plain paper
Printing Technology	Ink-jet - colour
Display Colour Support	Colour
Display Features	Touch screen
Connection Availability	Yes
Interface	USB, LAN, Wi-Fi
AirPrint Enabled	Yes
Enclosure Colour	Black

Printing

Inkjet Technology	Epson PrecisionCore
Nozzle Configuration	400 nozzles (black), 128 nozzles (per colour)
Refillable Tank	Yes
Max Printing Resolution	Up to 4800 x 1200 dpi (mono) / up to 4800 x 1200 dpi (colour)
Max Printing Resolution Class	Up to 4800 x 1200 dpi (mono) / up to 4800 x 1200 dpi (colour)
Max Printing Speed	Up to 15.5 ppm (mono) / up to 8.5 ppm (colour)
Ink Cartridge Configuration	4 individual ink tanks
Ink Palette Supported (Colours)	Cyan, magenta, yellow, black
Colour	4-ink
Automatic Duplexing	Yes
First Print Out Time B/W	9 sec
First Print Out Time Colour	15 sec

Scanning

Scan Element	CIS
Optical Resolution	1200 x 2400 dpi

Fax Machine

Compatibility	Super G3
Max Transmission Speed	33.6 Kbps
Total Memory Capacity	Up to 100 pages
PC Faxing	Yes

Fax Machine Features

Error Correction Mode (ECM)	Yes
Speed Dialing	60 station(s)
Broadcast Transmission	Yes
Features	Automatic redialing

Document & Media Handling

Original Type	Sheets
---------------	--------



Document Feeder Capacity	30 sheets
Max Media Size	A4
Supported Media Type	Envelopes, plain paper, photo paper
Supported Media Sizes	A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), 100 x 150 mm, 130 x 180 mm, 90 x 130 mm, B6 (125 x 176 mm), 200 x 250 mm, 130 x 200 mm
Supported Envelope Sizes	US No 10 (104.7 x 241.3 mm), International DL (110 x 220 mm), International C6 (114 x 162 mm)
Standard Media Capacity	250 sheets
Output Trays Capacity	30 sheets
Document & Media Handling Details	Input tray - 250 sheets ADF - 30 sheets Output tray - 30 sheets
Speed Details	Printing: up to 33 ppm - B/W Printing: up to 20 ppm - colour Printing: up to 15.5 ppm - B/W (ISO/IEC 24734) Printing: up to 8.5 ppm - colour (ISO/IEC 24734) Printing: up to 6.5 ppm - B/W duplex (ISO/IEC 24734) Printing: up to 4.5 ppm - colour duplex (ISO/IEC 24734) Scanning: up to 5 ipm (A4) Scanning: 27 sec - colour Scanning: 12 sec - B/W
Connections	
Interfaces	1 x USB 1 x LAN - RJ-45
Security Protocols & Features	WEP, WPA-PSK, WPA2-PSK, TKIP, AES, Wi-Fi Direct
Operating System Support	MS Windows Server 2008, MS Windows Server 2008 R2, Apple Mac OS X 10.6.8 or later, MS Windows Server 2003 R2, MS Windows Server 2003 SP2 or later, MS Windows Vista (32/64 bits), MS Windows 7 (32/64 bits), MS Windows XP 32-bit Edition SP3 or later, Windows 8 (32/64-bits), Windows 8.1 (32/64-bits), Windows 10 (32/64-bits), MS Windows Server 2016, MS Windows XP Professional x64 Edition SP2 or later
Power	
Voltage Required	AC 120/230 V (50/60Hz)
Power Consumption Operational	12 Watt
Power Consumption Standby	5.4 Watt
Power Consumption Sleep	1 Watt
Miscellaneous	
Consumables Included	2 x ink tank (black) 1 x ink tank (cyan) - up to 5200 pages 1 x ink tank (magenta) - up to 5200 pages 1 x ink tank (yellow) - up to 5200 pages
Manufacturer Warranty	
Service & Support	Limited warranty - 1 year / 50000 pages - carry-in
Dimensions & Weight	
Width	37.5 cm
Depth	34.7 cm
Height	23.1 cm
Weight	6.7 kg
Dimensions & Weight (Shipping)	
Shipping Width	41 cm
Shipping Depth	50 cm
Shipping Height	31 cm
Shipping Weight	8.744 kg

