

Epson EcoTank ET-5800 - Multifunction printer

colour - ink-jet - A4 (210 x 297 mm) (original) - A4 (media) - up to 25 ppm (printing) - 550 sheets - 33.6 Kbps - USB 2.0 - LAN - Wi-Fi(ac) - black



Group	Multifunction Printers
Manufacturer	Epson
Manufacturer item no.	C11CJ30401
EAN/UPC	8715946677231

Description

Print, scan, copy and fax with this easy-to-use EcoTank printer, that delivers an exceptionally low cost per page. A4 jobs can be accomplished quickly thanks to fast print and scan speeds.

Main features

Product Description	Epson EcoTank ET-5800 - multifunction printer - colour
Device Type	Multifunction printer
Fax Type	Super G3 - plain paper
Printing Technology	Ink-jet (colour)
Inkjet Technology	Epson PrecisionCore - 4-ink
Max Printing Speed	Up to 25 ppm (mono) / up to 12 ppm (colour)
Max Printing Resolution	Up to 4800 x 2400 dpi (mono) / up to 4800 x 2400 dpi (colour)
Max Printing Resolution Class	Up to 4800 x 2400 dpi (mono) / up to 4800 x 2400 dpi (colour)
Max Fax Transmission Speed	33.6 Kbps
Scanning	2400 x 1200 dpi
Display	4.3"
Original Size	A4 (210 x 297 mm) (max)
Original Type	Sheets
Document Feeder Capacity	50 sheets

Media Size	A4 (210 x 297 mm) (max)
Media Type	Envelopes, plain paper, photo paper
Standard Media Capacity	550 sheets
Output Trays Capacity	125 sheets
Automatic Duplexing	Yes (copying) Yes (printing) Yes (scanning)
Connection Availability	Yes
Interface	USB 2.0, LAN, Wi-Fi(ac)
Office Machine Features	Scan to e-mail, scan to folder, scan to Cloud, scan to USB host
Power	AC 120/230 V (50/60Hz)
Dimensions (WxDxH)	42.5 cm x 50 cm x 35 cm
Weight	17.5 kg
Enclosure Colour	Black

Extended details

General

Device Type	Multifunction printer
Fax Type	Plain paper
Printing Technology	Ink-jet - colour
Display Diagonal Size	4.3"
Display Colour Support	Colour
Display Features	Touch screen
Connection Availability	Yes
Interface	USB 2.0, LAN, Wi-Fi(ac)
Office Machine Features	Scan to e-mail, scan to folder, scan to Cloud, scan to USB host
Enclosure Colour	Black

Copying

Automatic Duplexing	Yes
	Printing
Inkjet Technology	Epson PrecisionCore
Nozzle Configuration	800 nozzles (black), 3 x 256 nozzles (cyan, magenta, yellow)
Max Printing Resolution	Up to 4800 x 2400 dpi (mono) / up to 4800 x 2400 dpi (colour)
Max Printing Resolution Class	Up to 4800 x 2400 dpi (mono) / up to 4800 x 2400 dpi (colour)
Max Printing Speed	Up to 25 ppm (mono) / up to 12 ppm (colour)
Ink Cartridge Configuration	4 individual ink tanks
Ink Palette Supported (Colours)	Cyan, magenta, yellow, black
Colour	4-ink
Minimum Ink Droplet Size	3.8 pl
Automatic Duplexing	Yes
First Print Out Time B/W	5.5 sec
First Print Out Time Colour	9.5 sec
	Scanning
Scan Element	CIS
Automatic Duplexing	Yes
Optical Resolution	2400 x 1200 dpi
Colour Depth	24-bit
Colour Depth (Internal)	48-bit
	Fax Machine
Compatibility	Super G3
Max Transmission Speed	33.6 Kbps
Total Memory Capacity	Up to 550 pages
PC Faxing	Yes

Fax Machine Features

Error Correction Mode (ECM)	Yes
Speed Dialing	200 station(s)
Delayed Transmission	Yes
Features	Automatic redialing
Document & Media Handling	
Max Original Size	A4 (210 x 297 mm)
Original Type	Sheets
Document Feeder Capacity	50 sheets
Max Media Size	A4
Min Media Weight	64 g/m ²
Max Media Weight	255 g/m ²
Supported Media Type	Envelopes, plain paper, photo paper
Supported Media Sizes	A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), B6 (125 x 176 mm)
Supported Envelope Sizes	US No 10 (104.7 x 241.3 mm), International DL (110 x 220 mm), International C6 (114 x 162 mm)
Standard Media Capacity	550 sheets
Output Trays Capacity	125 sheets
Document & Media Handling Details	2 x input tray - 250 sheets ADF - 50 sheets Output tray - 125 sheets
Speed Details	Printing: up to 32 ppm - B/W Printing: up to 22 ppm - colour Printing: up to 25 ppm - B/W (ISO/IEC 24734) Printing: up to 12 ppm - colour (ISO/IEC 24734) Printing: up to 16 ppm (A4) - B/W duplex (ISO/IEC 24734) Printing: up to 9 ppm (A4) - colour duplex (ISO/IEC 24734) Scanning: 5 sec - B/W Scanning: 10 sec - colour
Connections	
Interfaces	1 x USB 2.0 1 x LAN - RJ-45
Security Protocols & Features	Wi-Fi Direct

Operating System Support	MS Windows Server 2008, MS Windows Server 2008 R2, MS Windows Server 2012, Windows 8, MS Windows Server 2003 SP2 or later, MS Windows Server 2012 R2, MS Windows Vista (32/64 bits), MS Windows 7 (32/64 bits), Windows 8.1 (32/64-bits), Windows 10 (32/64-bits), MS Windows Server 2016, Apple Mac OS X 10.6.8 - macOS 10.15.x
Power	
Voltage Required	AC 120/230 V (50/60Hz)
Power Consumption Operational	19 Watt
Power Consumption Standby	8.9 Watt
Power Consumption Sleep	0.8 Watt
Miscellaneous	
Consumables Included	1 x ink bottle (black) - up to 4500 pages 1 x ink bottle (cyan) - up to 2800 pages 1 x ink bottle (magenta) - up to 2800 pages 1 x ink bottle (yellow) - up to 2800 pages
Compliant Standards	RoHS, UL 60950-1, FCC Part 15 Class B, CAN/CSA-C22.2 No. 60950-1
Manufacturer Warranty	
Service & Support	Limited warranty - 1 year / 150000 pages - carry-in
Dimensions & Weight	
Width	42.5 cm
Depth	50 cm
Height	35 cm
Weight	17.5 kg
Dimensions & Weight (Shipping)	
Shipping Width	56 cm
Shipping Depth	50 cm
Shipping Height	44 cm
Shipping Weight	21 kg

Technical data © 1WorldSync. Subject to technical modifications and errors.