imcopex

Epson LQ 630 - Printer - B/W - dot-matrix

360 x 180 dpi - 24 pin - up to 360 char/sec - parallel - USB 2.0

Group	Printers
Manufacturer	Epson
Manufacturer item no.	C11C480141
EAN/UPC	8715946538068

Description

LQ-630 is a small and reliable printer especially for counter application. With its small design with 80 columns, LQ-630 fits perfectly in environments where space is rather limited. The ejection of both, continuous paper and cut sheets at front side enables easy handling of the print outs only at the front side of the printer. Due to the printer's flatbed technology, LQ-630 can print even smallest cut sheet forms and stickers down to 9 cm x 7 cm. LQ-630 can ideally be used with retail stores, banks, post offices, doctors' surgeries, ticket shops, cinemas, pizza services. Moreover the printer is perfect for label and protocol printing with trade industrial firms.

Main features

Product Description	Epson LQ 630 - printer - B/W - dot-matrix
Printer Type	Personal printer - dot-matrix - 24 pin - B/W
Weight	3.5 kg
Max Media Size (Custom)	257 mm x 559 mm
Print Speed	Up to 300 char/sec - fast draft ¦ Up to 360 char/sec - fast draft ¦ Up to 225 char/sec - draft ¦ Up to 79 char/sec - laser quality
Max Resolution (B&W)	360 x 180 dpi
Interface	Parallel, USB 2.0
RAM Installed (Max)	32 KB
Language Simulation	EPSON ESC/P 2, IBM PPDS
Media Type	Labels, plain paper, continuous forms
System Requirements	Microsoft Windows 98, Microsoft Windows 2000, Microsoft Windows XP, Microsoft Windows 7, Windows 8
Dimensions (WxDxH)	38.6 cm x 30.6 cm x 18.5 cm

Extended details

	General
Printer Type	Personal printer - dot-matrix - 24 pin - monochrome

	Printer
Print Speed	Up to 300 char/sec - fast draft - 10 cpi ¦ Up to 360 char/sec - fast draft - 12 cpi ¦ Up to 225 char/sec - draft - 10 cpi ¦ Up to 79 char/sec - laser quality - 10 cpi
Connectivity Technology	Wired
Interface	Parallel, USB 2.0
Max Resolution (B&W)	360 x 180 dpi
Language Simulation	EPSON ESC/P 2, IBM PPDS
	RAM
RAM Installed (Max)	32 KB
	Media Handling
Media Type	Labels, plain paper, continuous forms
Max Media Size (Custom)	257 mm x 559 mm
Max Sheets in Multi-Part Form	5
	Expansion / Connectivity
Connections	1 x USB 2.0 - 4 pin USB Type B ¦ 1 x parallel
	Miscellaneous
Consumables Included	1 x ribbon (black) - up to 2 million characters
MTBF	10,000 hour(s)
	Power
Power Consumption Operational	20 Watt
Power Consumption Stand by	4.8 Watt
	Software / System Requirements
Software Included	Drivers & Utilities, EPSON Status Monitor
OS Required	Microsoft Windows 98, Microsoft Windows 2000, Microsoft Windows XP, Microsoft Windows 7, Windows 8
	Manufacturer Warranty
Service & Support	Limited warranty - 1 year - carry-in
	Environmental Parameters
Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	10 - 80%
Sound Emission (Operating)	57 dBA
	Dimensions & Weight
Width	38.6 cm
Depth	30.6 cm
Height	18.5 cm
Weight	3.5 kg
	Dimensions & Weight (Shipping)
Width (Shipping)	31 cm
Depth (Shipping)	45.5 cm
Height (Shipping)	26.5 cm
Weight (Shipping)	5.2 kg

Technical data © CNET Content Solutions. Subject to technical modifications and errors.