

imcopen



Fibaro The Heat Controller -
Thermostat kit

wireless - Z-Wave Plus - 868 MHz - 2.4
Ghz

Group
Manufacturer
Manufacturer item no.
EAN/UPC

Home Automation
Fibaro
FIBEFGT-START
5902701701079

Description

Simplicity combined with technology is the key to revolution. Based on the cubic capacity of your room, thermostatic radiator head, calculates how much time it takes to reach the temperature you want. Moreover, the current temperature is indicated by the appropriate ring color. You no longer have to read the temperature on poor displays. Try, set your temperature and discover the color language.

See how amazingly simple and efficient heating management can be. You can install the FIBARO Heat Controller on any number of radiators and they will co-operate with each other to provide the optimum temperature. No other controller offers such a level of heating comfort and such an array of possibilities. Wherever you are, whenever you are: use your hand, use your voice or use your mobile app to have precision control of the heating in every room in your home.

The most advanced technology and its unique design make the device a perfect

whole, able to transform your home. Managing the temperature has never been as precise and as simple before. Enjoy the convenience of an intelligently managed heating system. The FIBARO Heat Controller will react to the number of people in a room, an open window and another heat source like a fireplace. It will consider all these conditions and will provide a stable temperature ensuring comfort and savings.

The FIBARO System can activate heating when you're on your way home. Thanks to the geolocation possibilities, the thermostatic radiator head knows the time of your arrival. It will start increasing the temperature at the optimum moment in order to reach the perfect level of warmth when you arrive. This function is perfect if your working hours are irregular or you want to heat that cottage in the country you only use at weekends.

Main features

Product Description

Product Type

Functions

Power Source

Package Content

Connectivity

Frequency Band

Extended details

Product Type

Functions

Power Source

Package Content

Connectivity Technology

Frequency Band

Features

Measurement Accuracy

Features

Technology

Included Accessories

Encryption Algorithm

Compliant Standards

Fibaro The Heat Controller - thermostat kit

Thermostat kit

Temperature measuring, control heating systems

Battery, power adapter

Temperature sensor, thermostat

Wireless - Z-Wave Plus

868 MHz, 2.4 Ghz

General

Thermostat kit

Temperature measuring, control heating systems

Battery, power adapter

Temperature sensor, thermostat

Wireless - Z-Wave Plus

868 MHz, 2.4 Ghz

USB powered, child protection

Internet of Things (IoT)

±0.5 °C

Thermostat

Programmable

Battery

Lithium polymer

Miscellaneous

CR2032 battery

128-bit AES

RoHS 2011/65/EU, Directive

2014/53/EU

Dimensions & Weight

Dimensions & Weight Details

Thermostat: 5.6 cm x 7.4 cm x 5.6 cm ;
Temperature sensor: 3.8 cm x 3.8 cm x
1.2 cm

Min Operating Temperature

0 °C

Max Operating Temperature

40 °C

Environmental Parameters

Technical data © CNET Content Solutions. Subject to technical modifications and errors.