



HP Color LaserJet Pro MFP M182n

Multifunction printer - colour - laser - 216 x 297 mm (original) - A4/Legal (media) - up to 16 ppm (copying) - up to 16 ppm (printing) - 150 sheets - USB 2.0 - LAN

Group	Multifunction Printers
Manufacturer	HP
Manufacturer item no.	7KW54A#B19
EAN/UPC	0193905484942

Description

HP Color LaserJet Pro MFP M182n - Multifunction printer - colour - laser - 216 x 297 mm (original) - A4/Legal (media) - up to 16 ppm (copying) - up to 16 ppm (printing) - 150 sheets - USB 2.0, LAN

Main features

Product Description	HP Color LaserJet Pro MFP M182n - multifunction printer - colour
Device Type	Multifunction printer
Localisation	Multilingual / Europe
Printing Technology	Laser (colour)
Monthly Duty Cycle (max)	30000 pages
Recommended Monthly Volume	150 - 1500 pages
Max Copying Speed	Up to 16 ppm (mono) / up to 16 ppm (colour)
Max Copying Resolution	Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)
Max Printing Speed	Up to 16 ppm (mono) / up to 16 ppm (colour)
Max Printing Resolution	Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)
Scanning	1200 x 1200 dpi
Original Size	216 x 297 mm (max)
Original Type	Sheets
Media Size	76 x 127 mm (min) - Legal (216 x 356 mm), A4 (210 x 297 mm) (max)
Media Type	Transparencies, envelopes, plain paper, cards, labels, recycled paper, photo paper, bond paper
Standard Media Capacity	150 sheets
Output Trays Capacity	100 sheets
Connection Availability	Yes
Interface	USB 2.0, LAN
AirPrint Enabled	Yes
Office Machine Features	Scan to folder, scan to PDF

Power	AC 230 V (50/60Hz)
Dimensions (WxDxH)	42 cm x 38 cm x 29.26 cm
Weight	15.7 kg
Environmental Standards	ENERGY STAR Qualified, Blue Angel, EPEAT Silver

Extended details

General	
Printer Fonts	TrueType x 84
Device Type	Multifunction printer
Printing Technology	Laser - colour
Monthly Duty Cycle (max)	30000 pages
Recommended Monthly Volume	150 - 1500 pages
Display Features	7 segment LCD display with icons
Connection Availability	Yes
Interface	USB 2.0, LAN
AirPrint Enabled	Yes
Office Machine Features	Scan to folder, scan to PDF
Localisation	Multilingual / Europe
Memory	
Standard Memory	256 MB
Max Supported Memory	256 MB
Hard Disk Drive	128 MB
Copying	
Max Copying Speed	Up to 16 ppm (mono) / up to 16 ppm (colour)
Max Copying Resolution	Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)
Max Document Enlargement	400%
Max Document Reduction	25%
Maximum Copies	99
Printing	
Max Printing Resolution	Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)
Max Printing Speed	Up to 16 ppm (mono) / up to 16 ppm (colour)
Printer Drivers / Emulations	PCL 6, PostScript 3, PCL 5c, PDF, PCLm, PCLms, URF, PWG
Image Enhancement Technology	HP ImageREt 3600
First Print Out Time B/W	11.8 sec
First Print Out Time Colour	13.8 sec
Scanning	
Scan Element	CIS
Optical Resolution	1200 x 1200 dpi
Grayscale Depth	8-bit
Colour Depth	24-bit
Document & Media Handling	
Max Original Size	216 x 297 mm
Original Type	Sheets

Max Media Size	A4/Legal
Min Media Weight	60 g/m ²
Max Media Weight	220 g/m ²
Supported Media Type	Transparencies, envelopes, plain paper, cards, labels, recycled paper, photo paper, bond paper
Supported Media Sizes	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), 100 x 150 mm, 127 x 203 mm, 102 x 152 mm, C5 (162 x 229 mm), JIS B5 (182 x 257 mm), 101.6 x 152.4 mm, 105 x 241 mm, 197 x 273 mm, 76 x 127 mm, 216 x 340 mm, 215.9 x 330.2 mm, 210 x 148 mm, 98 x 191 mm, 110 x 220 mm, JIS B6 (128 x 182 mm), 195 x 270 mm, 184 x 260 mm, 210 x 299 mm, 100 x 147 mm, 147 x 200 mm, 216 x 330 mm
Supported Envelope Sizes	International DL (110 x 220 mm), Com-10 (105 x 241 mm), International C5 (162 x 229 mm), International B5 (176 x 250 mm), Monarch (98.4 x 190.5 mm)
Standard Media Capacity	150 sheets
Output Trays Capacity	100 sheets
Document & Media Handling Details	Input tray - 150 sheets size: 76 x 127 mm - Legal (216 x 356 mm) weight: 60 g/m ² - 220 g/m ² Output tray - 100 sheets
Speed Details	Printing: up to 16 ppm (A4) - B/W (ISO) Printing: up to 16 ppm (A4) - colour (ISO) Printing: up to 27 ppm (A5) - B/W landscape Printing: up to 21 ppm (A5) - colour landscape Printing: up to 5 ppm (A5) - B/W portrait Printing: up to 5 ppm (A5) - colour portrait Copying: up to 16 ppm (A4) - B/W normal Copying: up to 16 ppm (A4) - colour normal Scanning: up to 15 ppm (A4) - B/W normal Scanning: up to 8 ppm (A4) - colour normal
Connections	
Interfaces	1 x USB 2.0 - 4 pin USB Type B 1 x LAN - RJ-45
Security Protocols & Features	SSL, Apple Bonjour, TLS, IPv6 support, SNMP 3
Operating System Support	UNIX, Linux, MS Windows Server 2008 R2 x64 Edition SP1, MS Windows 7 (32/64 bits), MS Windows XP 32-bit Edition SP3 or later, Windows 8 (32/64-bits), Windows 8.1 (32/64-bits), Windows 10 (32/64-bits), macOS 10.12, macOS 10.13, macOS 10.14, macOS 10.15
Software Included	Drivers & Utilities
Power	
Voltage Required	AC 230 V (50/60Hz)
Power Consumption Operational	313 Watt
Power Consumption Standby	7.4 Watt
Power Consumption Sleep	0.7 Watt
Miscellaneous	
Warm-Up Time	59 sec
First Copy Out Time B/W	12.2 sec
First Copy Out Time Colour	17.9 sec
Compliant Standards	TUV GS, EAC, EN 62479:2010, EN 61000-3-3:2013, EN 61000-3-2:2014, IEC 60950-1:2005 + A1:2009 + A2:2013, IEC 62479:2010, EN 55024:2010+A1:2015, EN 55032:2012, IEC/EN 60825-1:2014 Class 1, CISPR 32:2012, CISPR 32:2015, EN 55032:2015+AC:2016 Class B, Mercury-free, DE-UZ 205, EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013
Environmental Standards	
EPEAT Compliant	EPEAT Silver



ENERGY STAR Certified	Yes
Blue Angel Compliant	Yes
Manufacturer Warranty	
Service & Support	Limited warranty - 1 year
Dimensions & Weight	
Width	42 cm
Depth	38 cm
Height	29.26 cm
Weight	15.7 kg
Dimensions & Weight (Shipping)	
Shipping Width	49.7 cm
Shipping Depth	37.9 cm
Shipping Height	46.6 cm
Shipping Weight	18.4 kg
Environmental Parameters	
Sound Emission	16 dBA (idle) / 49 dBA (operating)
Min Operating Temperature	10 °C
Max Operating Temperature	32.5 °C
Humidity Range Operating	30 - 70%

Technical data © CNET Content Solutions. Subject to technical modifications and errors.