HP Officejet Pro 9019e All-in-One

Multifunction printer - colour - ink-jet - Legal (216 x 356 mm) (original) - A4/Legal (media) - up to 21 ppm (copying) - up to 22 ppm (printing) - 250 sheets - 33.6 Kbps - USB 2.0 - LAN - Wi-Fi(n) - USB host - HP Instant Ink eligible

Group	Multifunction Printers
Manufacturer	HP
Manufacturer item no.	22A59B#629
EAN/UPC	0195161214059

Description

HP Officejet Pro 9019e All-in-One - Multifunction printer - colour - ink-jet - Legal (216 x 356 mm) (original) - A4/Legal (media) - up to 21 ppm (copying) - up to 22 ppm (printing) - 250 sheets - 33.6 Kbps - USB 2.0, LAN, Wi-Fi(n), USB host - HP Instant Ink eligible

Main features

Product Description	HP Officejet Pro 9019e All-in-One - multifunction printer - colour - HP Instant Ink eligible
Device Type	Multifunction printer
Fax Type	Plain paper
Localisation	Western Europe (excluding United Kingdom, Ireland)
Printing Technology	Ink-jet (colour)
Inkjet Technology	HP Thermal Inkjet - 4-ink
Monthly Duty Cycle (max)	25000 pages
Recommended Monthly Volume	1500 pages
Max Copying Speed	Up to 21 ppm (mono) / up to 15 ppm (colour)
Max Copying Resolution	Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)
Max Printing Speed	Up to 22 ppm (mono) / up to 18 ppm (colour)
Max Printing Resolution	Up to 1200 x 1200 dpi (mono) / up to 4800 x 1200 dpi (colour)
Max Fax Transmission Speed	33.6 Kbps

Fax Resolutions	203 x 98 dpi, 203 x 196 dpi, 300 x 300 dpi, 200 x 200 dpi
Scanning	1200 x 1200 dpi
Display	2.7"
Original Size	76.2 x 127 mm (min) - Legal (216 x 356 mm) (max)
Original Type	Sheets
Document Feeder Capacity	35 sheets
Media Size	76.2 x 127 mm (min) - Legal (216 x 356 mm), A4 (210 x 297 mm) (max)
Media Type	Plain paper, photo paper, thick paper, card stock, glossy paper, matte paper
Standard Media Capacity	250 sheets
Max Media Capacity	250 sheets
Output Trays Capacity	60 sheets
Automatic Duplexing	Yes (copying) Yes (printing) Yes (scanning)
Connection Availability	Yes
Interface	USB 2.0, LAN, Wi-Fi(n), USB host
AirPrint Enabled	Yes
Office Machine Features	Print from USB flash drive, scan to e-mail, embedded web browser, Mopria certified, HP Instant Ink
Power	AC 120/230 V (50/60Hz)
Dimensions (WxDxH)	43.93 cm x 38.22 cm x 27.8 cm
Weight	9.29 kg
Environmental Standards	ENERGY STAR Qualified

Extended details

	General
Device Type	Multifunction printer
Fax Type	Plain paper
Printing Technology	Ink-jet - colour
Monthly Duty Cycle (max)	25000 pages

Recommended Monthly Volume	1500 pages
Display Diagonal Size	2.7"
Display Colour Support	Colour
Display Features	Touch screen
Connection Availability	Yes
Interface	USB 2.0, LAN, Wi-Fi(n), USB host
AirPrint Enabled	Yes
Office Machine Features	Print from USB flash drive, scan to e-mail, embedded web browser, Mopria certified, HP Instant Ink
Localisation	Western Europe (excluding United Kingdom, Ireland)
	Memory
Standard Memory	512 MB
Max Supported Memory	512 MB
Supported Flash Memory	USB flash drive
	Copying
Max Copying Speed	Up to 21 ppm (mono) / up to 15 ppm (colour)
Max Copying Resolution	Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)
Max Document Enlargement	400%
Max Document Reduction	25%
Maximum Copies	99
Automatic Duplexing	Yes
Copying Features	ID Card Copy, collation copy, margin shift, resize
	Printing
Inkjet Technology	HP Thermal Inkjet
Nozzle Configuration	6272 nozzles

Max Printing Resolution	Up to 1200 x 1200 dpi (mono) / up to 4800 x 1200 dpi (colour)
Max Printing Speed	Up to 22 ppm (mono) / up to 18 ppm (colour)
Ink Cartridge Configuration	4 cartridges (1 each: cyan, magenta, yellow, pigment black)
Ink Palette Supported (Colours)	Cyan, magenta, yellow, pigment black
Colour	4-ink
Printer Drivers / Emulations	PCL 3 GUI
Automatic Duplexing	Yes
First Print Out Time B/W	9 sec
First Print Out Time Colour	10 sec
	Scanning
Scan Element	CIS
Automatic Duplexing	Yes
Optical Resolution	1200 x 1200 dpi
Grayscale Depth	8-bit
Colour Depth	24-bit
	Fax Machine
Max Transmission Speed	33.6 Kbps
Fax Resolutions	203 x 98 dpi, 203 x 196 dpi, 300 x 300 dpi, 200 x 200 dpi
Total Memory Capacity	Up to 100 pages
Fax Printing Speed	Up to 15 ppm
Fax Printing Resolution	203 x 196 dpi
PC Faxing	Yes
	Fax Machine Features
Speed Dialing	99 station(s)
Broadcast Transmission	20 stations
Delayed Transmission	Yes

Features	Fax forwarding, automatic redialing, colour faxing, junk fax barrier, auto reduction, Distinctive Ring Detection (DRD), delayed sending
	Document & Media Handling
Min Original Size	76.2 x 127 mm
Max Original Size	Legal (216 x 356 mm)
Original Type	Sheets
Document Feeder Capacity	35 sheets
Min Media Size	76.2 x 127 mm
Max Media Size	A4/Legal
Min Media Weight	60 g/m²
Max Media Weight	280 g/m²
Min Media Weight (lb)	16 lbs
Max Media Weight (lb)	110 lbs
Supported Media Type	Plain paper, photo paper, thick paper, card stock, glossy paper, matte paper
Supported Media Sizes	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), 100 x 150 mm, 130 x 180 mm, JIS B5 (182 x 257 mm), 101.6 x 152.4 mm, Statement (139.7 x 215.9 mm), 76.2 x 127 mm, 127 x 177.8 mm, 203.2 x 254 mm
Supported Envelope Sizes	US No 10 (104.7 x 241.3 mm), US A2 (111 x 146 mm), International DL (110 x 220 mm), International C6 (114 x 162 mm), International C5 (162 x 229 mm), Monarch (98.4 x 190.5 mm), Japanese Chou No 3 (120 x 235 mm), Japanese Chou No 4 (90 x 205 mm)
Borderless Photo Sizes	ANSI A (Letter) (216 x 279 mm)
Standard Media Capacity	250 sheets
Max Media Capacity	250 sheets
Output Trays Capacity	60 sheets
Document & Media Handling Details	ADF - 35 sheets - Legal (216 x 356 mm) ¦ Input tray - 250 sheets - Legal (216 x 356 mm) weight: 60 g/m² - 280 g/m² ¦ Output tray - 60 sheets

Speed Details	Printing: up to 22 ppm (Letter A) - B/W (ISO) ¦ Printing: up to 18 ppm (Letter A) - colour (ISO) ¦ Printing: up to 32 ppm (Letter A) - B/W draft ¦ Printing: up to 32 ppm (Letter A) - colour draft ¦ Copying: up to 32 ppm (Letter A) - B/W ¦ Copying: up to 32 ppm (Letter A) - colour ¦ Scanning: up to 8 ipm (Letter A) - B/W normal ¦ Scanning: up to 8 ipm (Letter A) - colour normal ¦ Scanning: up to 8 ppm (Letter A) - B/W ¦ Scanning: up to 8 ppm (Letter A) - colour ¦ Scanning: up to 4 ppm (Letter A) - duplex normal ¦ Scanning: up to 4 ppm (Letter A) - duplex normal ¦ Copying: up to 5 ppm (Letter A) - colour best ¦ Copying: up to 5 ppm (Letter A) - B/W best ¦ Copying: up to 21 ppm - B/W (ISO) ¦ Copying: up to 15 ppm - colour (ISO)
	Connections
Interfaces	2 x modem - RJ-11 ¦ 1 x LAN - RJ-45 ¦ 1 x USB 2.0 - 4 pin USB Type B ¦ 1 x USB host - 4 pin USB Type A
Security Protocols & Features	SSL, TLS, WPA2, 802.1x, WPA2-Enterprise
Operating System Support	MS Windows 7, MS Windows Server 2008 R2 x64 Edition, Windows 8, MS Windows Server 2012 x64 Edition, MS Windows Server 2008 R2 x64 Edition SP1, Windows 8.1, MS Windows Server 2012 R2 x64 Edition, Windows 10, MS Windows Server 2016
Software Included	Software HP Printer
	Power
Voltage Required	AC 120/230 V (50/60Hz)
Power Consumption Operational	30 Watt
Power Consumption Standby	5.8 Watt
Power Consumption Sleep	1.2 Watt
	Miscellaneous
First Copy Out Time B/W	7 sec
First Copy Out Time Colour	9 sec
Included Accessories	Setup poster
Consumables Included	1 x ink cartridge (black) - HP 963 ¦ 1 x ink cartridge (cyan) - HP 963 ¦ 1 x ink cartridge (magenta) - HP 963 ¦ 1 x ink cartridge (yellow) - HP 963
Compliant Standards	EN 62479:2010, EN 61000-3-3:2013, CISPR 24:2010, EN 55024:2010, EN 62311:2008, TIA-1096, EN 61000-3-2:2014, IEC 60950-1:2005 + A1:2009 + A2:2013, FCC CFR47 Part 15 B Class B, ICES-003 issue 6 Class B, CISPR 32:2012, EN 301 489-17 V3.1.1 (2017), EN 55032:2012 Class B, EN 301 489-1 V2.1.1:2017, EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013
	Environmental Standards
ENERGY STAR Certified	Yes
	Dimensions & Weight
Width	43.93 cm
Depth	38.22 cm

Height	27.8 cm
Weight	9.29 kg
	Dimensions & Weight (Shipping)
Shipping Width	49.7 cm
Shipping Depth	32.5 cm
Shipping Height	40.9 cm
Shipping Weight	11.02 kg
	Environmental Parameters
Sound Emission	63 dBA (operating)
Min Operating Temperature	5 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80%

Technical data © 1WorldSync. Subject to technical modifications and errors.