



## HP Color Laser 150nw - Printer

colour - laser - A4/Legal - 600 x 600 dpi 4 ppm (colour) - up to 18 ppm - capacity: 150 sheets - USB 2.0 - LAN - Wi-Fi(n)

Group	Printers
Manufacturer	HP
Manufacturer item no.	4ZB95A#B19
EAN/UPC	0193015507128

### Description

HP Color Laser 150nw - Printer - colour - laser - A4/Legal - 600 x 600 dpi 4 ppm (colour) - up to 18 ppm - capacity: 150 sheets - USB 2.0, LAN, Wi-Fi(n)

### Main features

Product Description	HP Color Laser 150nw - printer - colour - laser
Printer Type	Workgroup printer - laser - colour
Number of Users	1-5 users
Weight	10.04 kg
Localisation	English, German, French, Italian, Spanish / Europe
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Min Media Size (Custom)	76 mm x 127 mm
Max Media Size (Custom)	216 mm x 356 mm
Print Speed	Up to 19 ppm - B/W - ANSI A (Letter) (216 x 279 mm) † Up to 18 ppm - B/W - A4 (210 x 297 mm) † Up to 4 ppm - color (ISO) - A4 (210 x 297 mm)
Max Resolution (B&W)	600 x 600 dpi
Max Resolution (Colour)	600 x 600 dpi
Interface	USB 2.0, LAN, Wi-Fi(n)
AirPrint Enabled	Yes
Processor	400 MHz
RAM Installed (Max)	64 MB (64 MB)
Language Simulation	SPL (Samsung Printer Language)
Media Type	Envelopes, transparencies, labels, plain paper, cards, recycled paper, glossy paper
Total Media Capacity	150 sheets
Monthly Duty Cycle (max)	20000 pages
Recommended Monthly Volume	100 - 500 pages



Networking	Print server
Printer Features	Wireless Direct Print, Rendering Engine for Clean Page (ReCP) Technology, Mopria certified, Auto Power Off
Power	AC 230V
System Requirements	Microsoft Windows 2000, Microsoft Windows XP Home Edition, Microsoft Windows XP Professional, Microsoft Windows XP 64-bit Edition, Microsoft Windows Server 2003, Apple MacOS X 10.3, Apple MacOS X 10.2.8, Apple MacOS X 10.4, Apple MacOS X 10.4 or later, Microsoft Windows Vista
Dimensions (WxDxH)	38.2 cm x 30.9 cm x 21.15 cm

## Extended details

<b>General</b>	
Printer Type	Workgroup printer - laser - colour
Number of Users	1-5 users
Localisation	English, German, French, Italian, Spanish / Europe
<b>Printer</b>	
Print Speed	Up to 19 ppm - B/W - ANSI A (Letter) (216 x 279 mm) † Up to 18 ppm - B/W - A4 (210 x 297 mm) † Up to 4 ppm - color (ISO) - A4 (210 x 297 mm)
Built-in Devices	Status LCD
Connectivity Technology	Wired
Interface	USB 2.0, LAN, Wi-Fi(n)
AirPrint Enabled	Yes
Max Resolution (B&W)	600 x 600 dpi
Max Resolution (Colour)	600 x 600 dpi
PostScript Support	Standard
Language Simulation	SPL (Samsung Printer Language)
Printer Features	Wireless Direct Print, Rendering Engine for Clean Page (ReCP) Technology, Mopria certified, Auto Power Off
<b>Processor</b>	
Processor	400 MHz
<b>RAM</b>	
RAM Installed (Max)	64 MB / 64 MB (max)
<b>Media Handling</b>	
Media Type	Envelopes, transparencies, labels, plain paper, cards, recycled paper, glossy paper
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Min Media Size (Custom)	76 mm x 127 mm
Max Media Size (Custom)	216 mm x 356 mm
Media Sizes	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm)
Media Weight	60 g/m <sup>2</sup> - 220 g/m <sup>2</sup>
Total Media Capacity	150 sheets
Output Trays Capacity	50 sheets



	<b>Duty Cycle</b>
Monthly Duty Cycle (max)	20000 pages
Recommended Monthly Volume	100 - 500 pages
	<b>Networking</b>
Networking	Print server
	<b>Expansion / Connectivity</b>
Connections	1 x USB 2.0 - 4 pin USB Type B   1 x LAN - RJ-45
	<b>Miscellaneous</b>
Consumables Included	1 x toner cartridge (black)   1 x toner cartridge (cyan)   1 x toner cartridge (magenta)   1 x toner cartridge (yellow)
Features	Mercury free
Compliant Standards	Plug and Play, UL, cUL, GS, ANSI C63.4-2009, CECP, GB 9254-2008, EN 62479:2010, CNS 13438, LVD 2006/95/EC, GB 17625.1-2012, EN 61000-3-3:2013, CoC, EN 55024:2010, CISPR 22:2008, EN 61000-3-2:2014, IEC 60950-1:2005 + A1:2009 + A2:2013, ICES-003 issue 5, KN32, KN35, EN 55032:2012+AC:2013 Class A, CAN/CSA C22.2 No. 60950-1-07 Second Edition 2014-10, IEC/EN 60825-1:2014 Class 1, CISPR 32:2012, EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013
	<b>Power</b>
Power Device	Power supply - internal
Voltage Required	AC 230V
Frequency Required	50/60 Hz
Power Consumption Operational	282 Watt
Power Consumption Stand by	27 Watt
Power Consumption Sleep	1 Watt
	<b>Software / System Requirements</b>
Software Included	Drivers & Utilities
OS Required	Microsoft Windows 2000, Microsoft Windows XP Home Edition, Microsoft Windows XP Professional, Microsoft Windows XP 64-bit Edition, Microsoft Windows Server 2003, Apple MacOS X 10.3, Apple MacOS X 10.2.8, Apple MacOS X 10.4, Apple MacOS X 10.4 or later, Microsoft Windows Vista
	<b>Environmental Standards</b>
Blue Angel	Yes
	<b>Manufacturer Warranty</b>
Service & Support	Limited warranty - 1 year
	<b>Environmental Parameters</b>
Min Operating Temperature	10 °C
Max Operating Temperature	30 °C
Humidity Range Operating	10 - 80% (non-condensing)
	<b>Dimensions &amp; Weight</b>
Width	38.2 cm
Depth	30.9 cm
Height	21.15 cm
Weight	10.04 kg
	<b>Dimensions &amp; Weight (Shipping)</b>
Width (Shipping)	47.1 cm



Depth (Shipping)	41.3 cm
------------------	---------

Height (Shipping)	30.5 cm
-------------------	---------

Weight (Shipping)	12.52 kg
-------------------	----------

Technical data © CNET Content Solutions. Subject to technical modifications and errors.