



## Kyocera ECOSYS P2235dn - Printer

B/W - Duplex - laser - A4/Legal - 1200 dpi - up to 35 ppm - capacity: 350 sheets  
- USB 2.0 - Gigabit LAN - USB host

Group	Printers
Manufacturer	Kyocera
Manufacturer item no.	1102RV3NL0
EAN/UPC	0632983040225

### Description

Boasting fast print speeds, duplex functionality as standard and a large paper capacity these devices really do pack a punch. And as you would expect from a Kyocera printer, they are extremely reliable, with long-life components and a low TCO.

### Main features

Product Description	Kyocera ECOSYS P2235dn - printer - B/W - laser
Printer Type	Workgroup printer - laser - B/W
Weight	14 kg
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Min Media Size (Custom)	70 mm x 148 mm
Max Media Size (Custom)	216 mm x 356 mm
Print Speed	Up to 35 ppm - B/W - A4 (210 x 297 mm)
Max Resolution (B&W)	1200 dpi
Automatic Duplexing	Yes
Interface	USB 2.0, Gigabit LAN, USB host
Processor	800 MHz
RAM Installed (Max)	256 MB (256 MB)
Language Simulation	PCL 5E, PostScript 3, PCL 6, PCL XL, KPDL3, PDF, PRESCRIBE IIe, XPS
Barcodes	PDF417
Media Type	Plain paper
Total Media Capacity	350 sheets
Media Handling	100-sheet multipurpose tray, 250-sheet input tray
Networking	Print server
Printer Features	Kyocera ECOSYS Technology
Power	AC 230V
System Requirements	UNIX, Linux, Microsoft Windows, Apple MacOS X 10.5 or later

Dimensions (WxDxH) 37.5 cm x 39.3 cm x 27.2 cm

## Extended details

<b>General</b>	
Printer Type	Workgroup printer - laser - monochrome
<b>Printer</b>	
Print Speed	Up to 35 ppm - B/W - A4 (210 x 297 mm)
Built-in Devices	Status LCD
Connectivity Technology	Wired
Interface	USB 2.0, Gigabit LAN, USB host
Max Resolution (B&W)	1200 dpi
Automatic Duplexing	Yes
PostScript Support	Standard
First Print Out Time B/W	6.8 sec
Language Simulation	PCL 5E, PostScript 3, PCL 6, PCL XL, KPDL3, PDF, PRESCRIBE IIe, XPS
Fonts Included	93 x scalable   45 x barcode
Barcodes	PDF417
Printer Features	Kyocera ECOSYS Technology
Media Handling	100-sheet multipurpose tray, 250-sheet input tray
<b>Processor</b>	
Processor	800 MHz
<b>RAM</b>	
RAM Installed (Max)	256 MB / 256 MB (max)
<b>Card Reader</b>	
Supported Flash Memory Cards	SD Memory Card, SDHC Memory Card
<b>Media Handling</b>	
Media Type	Plain paper
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Min Media Size (Custom)	70 mm x 148 mm
Max Media Size (Custom)	216 mm x 356 mm
Media Sizes	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), Folio (216 x 330 mm), Oficio (216 x 343 mm)
Media Weight	60 g/m <sup>2</sup> - 220 g/m <sup>2</sup>
Total Media Capacity	350 sheets
Media Feeders	1 x automatic - 100 sheets - Legal (216 x 356 mm) weight: 60 g/m <sup>2</sup> - 220 g/m <sup>2</sup>   1 x automatic - 250 sheets - 216 x 297 mm weight: 60 g/m <sup>2</sup> - 120 g/m <sup>2</sup>
Max Media Capacity	850 sheets
Output Trays Capacity	250 sheets
<b>Networking</b>	
Networking	Print server
Remote Management Protocol	SNMP 3, HTTPS, IPPS



Security Protocols & Features	SSL, IPsec
<b>Expansion / Connectivity</b>	
Connections	1 x USB 2.0 - 4 pin USB Type B ¦ 1 x USB host - 4 pin USB Type A ¦ 1 x Gigabit LAN - RJ-45
<b>Miscellaneous</b>	
Compliant Standards	TUV, ISO 9001, GS, ISO 14001, ISO 7779
<b>Power</b>	
Power Device	Power supply - internal
Voltage Required	AC 230V
Frequency Required	50/60 Hz
Power Consumption Operational	620 Watt
Power Consumption Stand by	8 Watt
Power Consumption Sleep	0.8 Watt
<b>Software / System Requirements</b>	
OS Required	UNIX, Linux, Microsoft Windows, Apple MacOS X 10.5 or later
<b>Environmental Standards</b>	
ENERGY STAR	Yes
<b>Manufacturer Warranty</b>	
Service & Support	Limited warranty - 1 year ¦ Limited warranty - drum - 3 years or 100,000 pages
<b>Environmental Parameters</b>	
Sound Emission (Operating)	47.9 dBA
<b>Dimensions &amp; Weight</b>	
Width	37.5 cm
Depth	39.3 cm
Height	27.2 cm
Weight	14 kg

Technical data © CNET Content Solutions. Subject to technical modifications and errors.