



## Kyocera ECOSYS P5026cdw - Printer

colour - Duplex - laser - A4/Legal - 9600 x 600 dpi - up to 26 ppm (mono) / up to 26 ppm (colour) - capacity: 300 sheets - USB 2.0 - Gigabit LAN - USB host - Wi-Fi

Group	Printers
Manufacturer	Kyocera
Manufacturer item no.	1102RB3NLO
EAN/UPC	0632983036631

### Description

The ECOSYS P5026cdw is a versatile Color Network Printer designed for small workgroups and individual users that seek maximum productivity, reliability and affordability. Built to deliver, the compact ECOSYS P5026cdw offers the ultimate in performance/price value. From professional color quality and standard wireless capabilities to flexible media support and expandable paper supply, the ECOSYS P5026cdw tackles your day-to-day printing tasks with unmatched precision and economy.

### Main features

Product Description	Kyocera ECOSYS P5026cdw - printer - colour - laser
Printer Type	Workgroup printer - laser - colour
Weight	21 kg
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Min Media Size (Custom)	70 mm x 148 mm
Max Media Size (Custom)	216 mm x 356 mm
Print Speed	Up to 26 ppm - B/W - A4 (210 x 297 mm) † Up to 26 ppm - colour - A4 (210 x 297 mm)
Max Resolution (B&W)	9600 x 600 dpi
Max Resolution (Colour)	9600 x 600 dpi
Automatic Duplexing	Yes
Interface	USB 2.0, Gigabit LAN, USB host, Wi-Fi
Processor	800 MHz
RAM Installed (Max)	512 MB (512 MB)
Card Reader	Yes
Language Simulation	PCL 5C, PostScript 3, PCL 6, PCL XL, KPDL3, PDF, XPS
Barcodes	PDF417, EAN-128, EAN-8, EAN-13
Media Type	Plain paper
Total Media Capacity	300 sheets



Media Handling	50-sheet multipurpose tray, 250-sheet paper cassette
Networking	Print server
Printer Features	Toner Save mode support
System Requirements	UNIX, Linux, Microsoft Windows, Apple MacOS X 10.8 or later
Dimensions (WxDxH)	41 cm x 41 cm x 32.9 cm

## Extended details

	<b>General</b>
Printer Type	Workgroup printer - laser - colour
	<b>Printer</b>
Print Speed	Up to 26 ppm - B/W - A4 (210 x 297 mm) †; Up to 26 ppm - colour - A4 (210 x 297 mm)
Built-in Devices	Status LCD
Connectivity Technology	Wireless
Interface	USB 2.0, Gigabit LAN, USB host, Wi-Fi
Max Resolution (B&W)	9600 x 600 dpi
Max Resolution (Colour)	9600 x 600 dpi
Automatic Duplexing	Yes
PostScript Support	Standard
First Print Out Time B/W	9.5 sec
First Print Out Time Colour	10.5 sec
Language Simulation	PCL 5C, PostScript 3, PCL 6, PCL XL, KPDL3, PDF, XPS
Fonts Included	93 x scalable †; 1 x bitmapped †; 45 x barcode
Barcodes	PDF417, EAN-128, EAN-8, EAN-13
Printer Features	Toner Save mode support
Media Handling	50-sheet multipurpose tray, 250-sheet paper cassette
	<b>Processor</b>
Processor	800 MHz
	<b>RAM</b>
RAM Installed (Max)	512 MB / 512 MB (max)
	<b>Card Reader</b>
Type	Card reader
Supported Flash Memory Cards	SD Memory Card, SDHC Memory Card
	<b>Media Handling</b>
Media Type	Plain paper
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Min Media Size (Custom)	70 mm x 148 mm
Max Media Size (Custom)	216 mm x 356 mm
Media Sizes	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), B6 (125 x 176 mm)
Media Thickness Range	Up to 0.11 mm
Media Weight	60 g/m <sup>2</sup> - 220 g/m <sup>2</sup>



Total Media Capacity	300 sheets
Media Feeders	1 x automatic - 50 sheets - Legal (216 x 356 mm) weight: 60 g/m <sup>2</sup> - 220 g/m <sup>2</sup> ; 1 x automatic - 250 sheets - Legal (216 x 356 mm) weight: 60 g/m <sup>2</sup> - 163 g/m <sup>2</sup>
Max Media Capacity	550 sheets
Output Trays Capacity	150 sheets
<b>Networking</b>	
Networking	Print server
<b>Expansion / Connectivity</b>	
Connections	1 x USB 2.0 - 4 pin USB Type B ; 1 x USB host - 4 pin USB Type A ; 1 x Gigabit LAN - RJ-45
<b>Miscellaneous</b>	
Consumables Included	1 x toner cartridge (black) - up to 1200 pages ISO/IEC 19752 ; 1 x toner cartridge (cyan) - up to 1200 pages ISO/IEC 19798 ; 1 x toner cartridge (magenta) - up to 1200 pages ISO/IEC 19798 ; 1 x toner cartridge (yellow) - up to 1200 pages ISO/IEC 19798
Compliant Standards	ISO 9001, ISO 14001, AS/NZS 3260
<b>Power</b>	
Power Device	Power supply - internal
Power Consumption Operational	345 Watt
Power Consumption Stand by	33 Watt
Power Consumption Sleep	0.9 Watt
<b>Software / System Requirements</b>	
OS Required	UNIX, Linux, Microsoft Windows, Apple MacOS X 10.8 or later
<b>Environmental Standards</b>	
ENERGY STAR	Yes
<b>Environmental Parameters</b>	
Sound Emission (Operating)	49 dBA
<b>Dimensions &amp; Weight</b>	
Width	41 cm
Depth	41 cm
Height	32.9 cm
Weight	21 kg

Technical data © CNET Content Solutions. Subject to technical modifications and errors.