



Lenovo ThinkPad Universal USB-C Dock

Docking station - USB-C - HDMI - 2 x DP - GigE - 90 Watt - for ThinkPad L13 Gen 2; P14s Gen 2; P15s Gen 2; X13 Gen 2; X13 Yoga Gen 2

Group	Notebook Accessories
Manufacturer	Lenovo
Manufacturer item no.	40AY0090EU
EAN/UPC	0195348192095

Description

Lenovo understands that modern business depends on a wide variety of PCs and even brands to meet their business needs. To make this easier Lenovo USB-C dock is compatible with Lenovo notebooks as well as with notebooks from other manufacturers.

Main features

Product Description	Lenovo ThinkPad Universal USB-C Dock - docking station - USB-C - HDMI, 2 x DP - GigE
Product Type	Docking station
Docking Interface	USB-C
Video Interfaces	HDMI, 2 x DP
Dimensions (WxDxH)	17.1 cm x 8 cm x 3.075 cm
Weight	340 g
Colour	Black
Localisation	English / Vietnam, South Korea, Europe
Networking	Gigabit Ethernet
Power	Power adapter 90 Watt
Designed For	ThinkPad L13 Gen 2; P14s Gen 2; P15s Gen 2; T14 Gen 2; T14s Gen 1; T14s Gen 2; X1 Carbon Gen 8; X1 Carbon Gen 9; X1 Nano Gen 1; X1 Titanium Yoga Gen 1; X1 Yoga Gen 5; X1 Yoga Gen 6; X13 Gen 1; X13 Gen 2; X13 Yoga Gen 2

Extended details

General	
Product Type	Docking station
Width	17.1 cm
Depth	8 cm
Height	3.075 cm
Weight	340 g



Enclosure Colour	Black
Localisation	English / Vietnam, South Korea, Europe
Video	
Max Resolution Details	3840 x 2160 - 60 Hz (Dual Display) 3840 x 2160 - 30 Hz (Triple Display)
Networking	
Data Link Protocol	Gigabit Ethernet
Expansion / Connectivity	
Interfaces	USB 3.2 Gen 2 with Always-on charging 2 x USB 3.2 Gen 2 1 x USB-C - 24 pin USB-C 1 x network - 10Base-T/100Base-TX/1000Base-T - RJ-45 2 x audio / video - DisplayPort - 20 pin DisplayPort 1 x audio / video - HDMI - 19 pin HDMI Type A 1 x audio - headphones/microphone - mini-phone 3.5 mm 4-pole 2 x USB 2.0 - 4 pin USB Type A
Miscellaneous	
Cables Included	1 x USB-C to USB-C cable - external
Features	Security lock slot (cable lock sold separately), wake on LAN, Preboot Execution Environment (PXE) support, pass through MAC address, 65W output power with 90W power adapter connected, 100W output power with 135W power adapter connected
Security Slot Type	Kensington NanoSaver security slot / Kensington MicroSaver security slot
Compliant Standards	VCCI, BSMI, NOM, CB, FCC, SII, KCC, ICES, cULus, Kvalitet, EAC, RCM, Ukraine EMC DoC, DisplayPort 1.4, LoA, TUV Mark
Power	
Power Device	Power adapter
Power Provided	90 Watt
System Requirements	
OS Required	Microsoft Windows 7 / 10
Manufacturer Warranty	
Service & Support	Limited warranty - replacement - 3 years
Dimensions & Weight (Shipping)	
Shipping Width	21 cm
Shipping Depth	15.8 cm
Shipping Height	7.5 cm
Shipping Weight	955 g
Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	35 °C
Compatibility Information	
Designed For	Lenovo ThinkPad L13 Gen 2 21AC Lenovo ThinkPad P14s Gen 2 20VX, 20VY Lenovo ThinkPad P15s Gen 2 20W6, 20W7 Lenovo ThinkPad T14 Gen 2 20W0, 20W1 Lenovo ThinkPad T14s Gen 1 20T0, 20T1 Lenovo ThinkPad T14s Gen 2 20WM, 20WN Lenovo ThinkPad X1 Carbon Gen 8 20U9, 20UA Lenovo ThinkPad X1 Carbon Gen 9 20XW, 20XX Lenovo ThinkPad X1 Nano Gen 1 20UN, 20UQ Lenovo ThinkPad X1 Titanium Yoga Gen 1 20QA, 20QB Lenovo ThinkPad X1 Yoga Gen 5 20UB, 20UC Lenovo ThinkPad X1 Yoga Gen 6 20XY, 20Y0 Lenovo ThinkPad X13 Gen 1 20T2, 20T3 Lenovo ThinkPad X13 Gen 2 20WK, 20WL Lenovo ThinkPad X13 Yoga Gen 2 20W8, 20W9

