

MSI MAG 275CQRX, 68.6 cm (27"), 2560 x 1440 pixels, Wide Quad HD, 1 ms, Black

68.6cm (27") Wide Quad HD 2560 x 1440 VA - 16:9 - 300cd/m² - 1.07B - 1ms - 178°/178° - 2500:1

|                       |               |
|-----------------------|---------------|
| Group                 | Flat Screens  |
| Manufacturer          | MSI           |
| Manufacturer item no. | MAG 275CQRXF  |
| EAN/UPC               | 4711377082983 |



Description

MSI MAG 275CQRX. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Wide Quad HD, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black

Main features

|                           | General            |
|---------------------------|--------------------|
| Display diagonal          | 68.6 cm            |
| Display resolution        | 2560 x 1440 pixels |
| HD type                   | Wide Quad HD       |
| Response time             | 1 ms               |
| Native aspect ratio       | 16:9               |
| Viewing angle, horizontal | 178 °              |
| Viewing angle, vertical   | 178 °              |
| Built-in USB hub          | Yes                |
| VESA mounting             | Yes                |
| Height adjustment         | 13 cm              |
| Product colour            | Black              |

Extended details

|                     | Display            |
|---------------------|--------------------|
| Display diagonal    | 68.6 cm            |
| Display resolution  | 2560 x 1440 pixels |
| Native aspect ratio | 16:9               |
| Touchscreen         | No                 |
| HD type             | Wide Quad HD       |
| Panel type          | VA                 |

|                                       |                        |
|---------------------------------------|------------------------|
| Display brightness (typical)          | 300 cd/m²              |
| Response time                         | 1 ms                   |
| Screen shape                          | Curved                 |
| Screen curvature rating               | 1000R                  |
| Supported graphics resolutions        | 2560 x 1440            |
| Supported video modes                 | 1440p                  |
| Aspect ratio                          | 16:9                   |
| Contrast ratio (typical)              | 2500:1                 |
| Contrast ratio (dynamic)              | 100000000:1            |
| Maximum refresh rate                  | 240 Hz                 |
| Viewing angle, horizontal             | 178 °                  |
| Viewing angle, vertical               | 178 °                  |
| Display number of colours             | 1.07 billion colours   |
| Pixel pitch                           | 0.233 x 0.233 mm       |
| Horizontal scan range                 | 91.2 - 386.2 kHz       |
| Vertical scan range                   | 48 - 240 Hz            |
| Viewable size, horizontal             | 59.7 cm                |
| Viewable size, vertical               | 33.6 cm                |
| Display diagonal (metric)             | 69 cm                  |
| High Dynamic Range (HDR) supported    | Yes                    |
| Colour gamut                          | 92 %                   |
| sRGB coverage (typical)               | 116 %                  |
| Colour gamut standard                 | DCI-P3                 |
| <b>Ports &amp; interfaces</b>         |                        |
| Built-in USB hub                      | Yes                    |
| USB upstream port type                | USB Type-A, USB Type-B |
| USB Type-A downstream ports quantity  | 2                      |
| USB Type-C downstream ports quantity  | 1                      |
| USB Type-C DisplayPort Alternate Mode | Yes                    |
| DVI port                              | No                     |
| HDMI                                  | Yes                    |
| HDMI ports quantity                   | 2                      |
| HDMI version                          | 2.0b                   |
| DisplayPorts quantity                 | 1                      |
| DisplayPort version                   | 1.4a                   |

|                                |              |
|--------------------------------|--------------|
| Audio output                   | Yes          |
| <b>Design</b>                  |              |
| Market positioning             | Gaming       |
| Product colour                 | Black        |
| Frameless design               | Yes          |
| Front bezel colour             | Black        |
| <b>Multimedia</b>              |              |
| Built-in speaker(s)            | No           |
| Built-in camera                | No           |
| <b>Ergonomics</b>              |              |
| VESA mounting                  | Yes          |
| Panel mounting interface       | 100 x 100 mm |
| Cable lock slot                | Yes          |
| Cable lock slot type           | Kensington   |
| Height adjustment              | 13 cm        |
| Tilt adjustment                | Yes          |
| Tilt angle range               | -5 - 20 °    |
| <b>Performance</b>             |              |
| VESA Adaptive Sync support     | Yes          |
| <b>Weight &amp; dimensions</b> |              |
| Width (with stand)             | 607 mm       |
| Depth (with stand)             | 267 mm       |
| Height (with stand)            | 427 mm       |
| Weight (with stand)            | 6.2 kg       |
| Width (without stand)          | 607 mm       |
| Depth (without stand)          | 112 mm       |
| Height (without stand)         | 372 mm       |
| Weight (without stand)         | 4.4 kg       |
| <b>Packaging data</b>          |              |
| Package width                  | 985 mm       |
| Package depth                  | 171 mm       |
| Package height                 | 490 mm       |
| Package weight                 | 9.4 kg       |
| Package type                   | Box          |
| <b>Power</b>                   |              |
| Energy efficiency class (SDR)  | F            |
| Energy efficiency class (HDR)  | G            |

|                                                             |             |
|-------------------------------------------------------------|-------------|
| Energy consumption (SDR) per 1000 hours                     | 26 kWh      |
| Energy consumption (HDR) per 1000 hours                     | 62 kWh      |
| AC input voltage                                            | 100 - 240 V |
| AC input frequency                                          | 50/60 Hz    |
| <b>Sustainability</b>                                       |             |
| European Product Registry for Energy Labelling (EPREL) code | 1636052     |