



OKI MC573dn - Multifunction printer

colour - LED - A4 (210 x 297 mm) (original) - A4 (media) - up to 24 ppm
(copying) - up to 30 ppm (printing) - 350 sheets - 33.6 Kbps - USB 2.0 - Gigabit
LAN - USB 2.0 host

Group	Multifunction Printers
Manufacturer	OKI
Manufacturer item no.	46357102
EAN/UPC	5031713067290

Description

If you thought secure document management was only possible for large corporates, think again. The MC573dn makes all the benefits of smart multifunction printers (MFPs) affordable for small to medium-sized businesses and workgroups. It also makes them easy to achieve with a 7" color LCD touchscreen and OKI's open architecture smart extendable platform (sXP), which gives access to document management and provides connectivity into a pull printing fleet. Plus a powerful engine, enabling ultra-fast, high-quality color printing.

Main features

Product Description	OKI MC573dn - multifunction printer - colour
Device Type	Multifunction printer
Fax Type	Super G3 - plain paper
Localisation	Europe
Printing Technology	LED (colour)
Monthly Duty Cycle (max)	60000 impressions
Recommended Monthly Volume	6000 pages
Max Copying Speed	Up to 24 ppm (mono) / up to 22 ppm (colour)
Max Copying Resolution	Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)
Max Printing Speed	Up to 30 ppm (mono) / up to 30 ppm (colour)
Max Printing Resolution	Up to 1200 x 600 dpi (mono) / up to 1200 x 600 dpi (colour)
Max Fax Transmission Speed	33.6 Kbps
Scanning	600 x 600 dpi
Display	7"
Original Size	A4 (210 x 297 mm) (max)
Original Type	Sheets
Document Feeder Capacity	50 sheets
Media Size	210 x 1320 mm (max)
Media Type	Envelopes, plain paper, cards, photo paper, banner

Standard Media Capacity	350 sheets
Max Media Capacity	1410 sheets
Bypass Feeder Capacity	100 sheets
Output Trays Capacity	150 sheets
Automatic Duplexing	Yes (copying) Yes (printing) Yes (scanning)
Connection Availability	Yes
Interface	USB 2.0, Gigabit LAN, USB 2.0 host
Office Machine Features	Print from USB flash drive, save to USB flash drive, scan to e-mail, scan to network, scan to FTP
Power	AC 230 V (50/60Hz)
Dimensions (WxDxH)	42.7 cm x 57.6 cm x 47.2 cm
Weight	31 kg
Environmental Standards	ENERGY STAR Qualified

Extended details

General	
Device Type	Multifunction printer
Fax Type	Plain paper
Printing Technology	LED - colour
Monthly Duty Cycle (max)	60000 impressions
Recommended Monthly Volume	6000 pages
Display Diagonal Size	7"
Connection Availability	Yes
Interface	USB 2.0, Gigabit LAN, USB 2.0 host
Office Machine Features	Print from USB flash drive, save to USB flash drive, scan to e-mail, scan to network, scan to FTP
Localisation	Europe
Memory	
Standard Memory	1 GB
Copying	
Max Copying Speed	Up to 24 ppm (mono) / up to 22 ppm (colour)
Max Copying Resolution	Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)
Max Document Enlargement	400%
Max Document Reduction	25%
Maximum Copies	99
Automatic Duplexing	Yes
Copying Features	ID Card Copy, collation copy
Printing	
Max Printing Resolution	Up to 1200 x 600 dpi (mono) / up to 1200 x 600 dpi (colour)
Max Printing Speed	Up to 30 ppm (mono) / up to 30 ppm (colour)
Printer Drivers / Emulations	PCL 6, PostScript 3, PCL 5c, IBM Proprinter, PDF 1.7, PCL 6 (XL 3.0), EPSON FX
Image Enhancement Technology	OKI ProQ2400 Multilevel
Automatic Duplexing	Yes



First Print Out Time B/W	8.5 sec
First Print Out Time Colour	9 sec
Colour Management Features	ICC Color Profiles
Scanning	
Automatic Duplexing	Yes
Optical Resolution	600 x 600 dpi
Colour Depth	24-bit
Colour Depth (Internal)	48-bit
Fax Machine	
Compatibility	Super G3
Max Transmission Speed	33.6 Kbps
Total Memory Capacity	Up to 200 pages
Fax Machine Features	
One-Touch Dialing	16 station(s)
Speed Dialing	100 station(s)
Broadcast Transmission	100 stations
Features	Group dialling
Document & Media Handling	
Max Original Size	A4 (210 x 297 mm)
Original Type	Sheets
Document Feeder Capacity	50 sheets
Max Media Size	A4
Min Media Weight	60 g/m ²
Max Media Weight	220 g/m ²
Supported Media Type	Envelopes, plain paper, cards, photo paper, banner
Supported Media Sizes	A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), 210 x 1320 mm, 75 x 125 mm
Supported Envelope Sizes	International DL (110 x 220 mm), Com-10 (105 x 241 mm), International C5 (162 x 229 mm), Monarch (98.4 x 190.5 mm), Com-9 (98 x 225 mm)
Borderless Photo Sizes	102 x 152 mm, 127 x 178 mm
Standard Media Capacity	350 sheets
Max Media Capacity	1410 sheets
Bypass Feeder Capacity	100 sheets
Output Trays Capacity	150 sheets
Document & Media Handling Details	RADF - 50 sheets - A4 (210 x 297 mm) weight: 60 g/m ² - 105 g/m ² ¦ Bypass tray - 100 sheets - 210 x 1320 mm weight: 64 g/m ² - 220 g/m ² ¦ Input tray - 250 sheets - A4 (210 x 297 mm) weight: 64 g/m ² - 176 g/m ² ¦ Output tray - 150 sheets
Speed Details	Printing: up to 30 ppm (A4) - B/W ¦ Printing: up to 30 ppm (A4) - colour ¦ Scanning: up to 30 spm - B/W ¦ Scanning: up to 30 spm - colour
Connections	
Interfaces	1 x USB 2.0 ¦ 1 x USB 2.0 host - 4 pin USB Type A ¦ 1 x Gigabit LAN - RJ-45
Security Protocols & Features	SSL, TLS, IPsec, 802.1x, IP filtering, MAC address filtering
Operating System Support	Linux, MS Windows Server 2008 R2 x64 Edition, MS Windows Server 2012 x64 Edition, MS Windows Server 2008 (32/64-bits), MS Windows Server 2012 R2

x64 Edition, MS Windows XP (32/64 bits), MS Windows Vista (32/64 bits), MS Windows 7 (32/64 bits), Windows 8 (32/64-bits), Windows 8.1 (32/64-bits), Windows 10 (32/64-bits), Apple Mac OS X 10.8.5 - 10.11

Software Included	OKI PrintSuperVision, OKI Color Swatch Utility, OKI Color Correct Utility, OKI Template Manager, ABBYY FineReader 12 Sprint, SENDYS Explorer LITE, OKI Configuration Tool, OKI Driver Installer, OKI Firmware Update Tool, OKI Front End Installer, OKI LPR Utility, OKI Maintenance Utility, OKI Network Card Setup, OKI Network Extension, OKI PDF Print Direct, OKI Print Job Accounting Client, OKI Profile Assistant, OKI PS Gamma Adjuster, OKI Scanner Driver (ICA), OKI Universal FAX Driver, OKI Universal Scanner Driver (TWAIN), OKI Universal Scanner Driver (WIA), OKI Web Driver Installer
-------------------	--

Power

Voltage Required	AC 230 V (50/60Hz)
Power Consumption Operational	670 Watt
Power Consumption Standby	100 Watt
Power Consumption Sleep	1.5 Watt

Miscellaneous

Warm-Up Time	60 sec
First Copy Out Time B/W	12 sec
First Copy Out Time Colour	14 sec
Consumables Included	1 x Cartridge (black) - up to 2000 pages 1 x Cartridge (cyan) - up to 2000 pages 1 x Cartridge (magenta) - up to 2000 pages 1 x Cartridge (yellow) - up to 2000 pages

Environmental Standards

ENERGY STAR Certified	Yes
-----------------------	-----

Manufacturer Warranty

Service & Support	Limited warranty - 3 years
-------------------	----------------------------

Dimensions & Weight

Width	42.7 cm
Depth	57.6 cm
Height	47.2 cm
Weight	31 kg

Environmental Parameters

Sound Emission	37 dBA (idle) / 54 dBA (operating)
Min Operating Temperature	10 °C
Max Operating Temperature	32 °C
Humidity Range Operating	20 - 80%