


Philips 43BDL3651T - 43" Diagonal Class T-Line LED-backlit LCD display

digital signage - with touchscreen (multi touch) - 4K UHD (2160p)
3840 x 2160 - Direct LED

Group	Digitale Signage
Manufacturer	Philips
Manufacturer item no.	43BDL3651T/00
EAN/UPC	8712581773960



Description

Philips 43BDL3651T - 43" Diagonal Class T-Line LED-backlit LCD display - digital signage - with touchscreen (multi touch) - 4K UHD (2160p) 3840 x 2160 - Direct LED

Main features

Product Description	Philips 43BDL3651T T-Line - 43" LED-backlit LCD display - 4K - for digital signage
Product Type	LED-backlit LCD flat panel display with touchscreen (multi touch)
Diagonal Class	43"
Commercial Use	Yes - digital signage
Resolution	3840 x 2160
Display Format	4K UHD (2160p)
Video Interface	HDMI
HDMI Ports Qty	4 ports
Connectivity	LAN
PC Interface	VGA (HD-15)
Technology	IPS
LCD Backlight Technology	Direct LED
Image Aspect Ratio	16:9
TV Tuner	No tuner
Speaker System	2 speakers
USB	Yes
Energy Class	Class G
Power Consumption Stand by	0.5 Watt

Extended details

General	
Product Type	LED-backlit LCD flat panel display
Energy Class	Class G

Power Consumption SDR (On mode)	95 kWh/1000h
Diagonal Class	43"
Commercial Use	Yes - digital signage
Combined With	Touchscreen (multi touch)
Series	T-Line
TV Tuner	No tuner
TV Tuner Presence	No
Video Interface	HDMI
HDMI Ports Qty	4 ports
PC Interface	VGA (HD-15)
Modes	Portrait mode, landscape mode
Protection	Anti-glare security glass
	Display
LCD Display Technology	IPS
Resolution	3840 x 2160
Display Format	4K UHD (2160p)
Image Aspect Ratio	16:9
LCD Backlight Technology	Direct LED
Coating	Anti-reflection
Image Contrast Ratio	1200:1
Dynamic Contrast Ratio	500000:1
Brightness	400 cd/m ²
Viewing Angle	178 degrees
Viewing Angle (Vertical)	178 degrees
Response Time	8 ms
Operation Hours / Days	18 / 7
Features	OPS Slot
	Stands & Mounts
Flat Panel Mount Interface	200 x 200 mm
VESA Compatibility	Yes
	Media Player
USB Port	Yes
USB Ports Qty	1
Operating System	Android OS
	Audio System
Speaker System	2 speakers
Output Power / Total	20 Watt
Speakers	2 x speaker - 10 Watt

Network & Internet Multimedia

Connectivity LAN

Connections

Connector Type DVI-I input | 4 x HDMI input | VGA input | USB 2.0 | Audio input | Audio output | LAN | RS-232C input | RS-232C output | Infrared input | Infrared output

Power

Power Consumption Stand by 0.5 Watt

Technical data © 1WorldSync. Subject to technical modifications and errors.