



TP-LINK Archer AX73 - V1 - wireless router

4-port switch - GigE - 802.11a/b/g/n/ac/ax - Dual Band

Group	Network Equipment
Manufacturer	TP-LINK
Manufacturer item no.	ARCHER AX73
EAN/UPC	6935364010263

Description

TP-Link Archer AX73 - V1 - wireless router - 4-port switch - GigE - 802.11a/b/g/n/ac/ax - Dual Band

Main features

Product Description	TP-Link Archer AX73 - V1 - wireless router - 802.11a/b/g/n/ac/ax - desktop
Device Type	Wireless router - 4-port switch (integrated)
Enclosure Type	Desktop
WAN Ports Qty	1
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IEEE 802.11ax (Wi-Fi 6)
Frequency Band	2.4 GHz / 5 GHz
Network / Transport Protocol	PPTP, L2TP, PPPoE, FTP, DHCP, DDNS, IPv4, IPv6
Routing Protocol	IGMP, static IP routing
Features	NAT support, IGMP snooping, Stateful Packet Inspection (SPI), DFS support, URL filtering, parental control, Access Point operational mode, firmware upgradable, Access Control List (ACL) support, Quality of Service (QoS), virtual server support, Wi-Fi Protected Setup (WPS), FTP server, static IP mode, port forwarding, reset button, Apple Time Machine compatible, port triggering, dynamic IP mode, IP-MAC binding, DHCP client, IGMP proxy, beamforming technology, dual band, router mode, Airtime Fairness, 4x4 MU-MIMO technology, DMZ support, PPTP server, Orthogonal Frequency Division Multiple Access (OFDMA), OpenVPN server, IPTV support, WPS button
Compliant Standards	IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.1x, IEEE 802.11n, UPnP, IEEE 802.11ac, IEEE 802.11ax, Wi-Fi CERTIFIED 6
Dimensions (WxDxH)	27.25 cm x 14.72 cm x 4.92 cm
Weight	1.49 kg

Extended details

General



Device Type	Wireless router - 4-port switch (integrated)
Enclosure Type	Desktop
Connectivity Technology	Wireless, wired
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IEEE 802.11ax (Wi-Fi 6)
Frequency Band	2.4 GHz / 5 GHz
Network / Transport Protocol	PPTP, L2TP, PPPoE, FTP, DHCP, DDNS, IPv4, IPv6
Routing Protocol	IGMP, static IP routing
Encryption Algorithm	WPA, WPA2, WPA-Enterprise, WPA2-Enterprise, WPA3
Wi-Fi Rating	AX5400
Features	NAT support, IGMP snooping, Stateful Packet Inspection (SPI), DFS support, URL filtering, parental control, Access Point operational mode, firmware upgradable, Access Control List (ACL) support, Quality of Service (QoS), virtual server support, Wi-Fi Protected Setup (WPS), FTP server, static IP mode, port forwarding, reset button, Apple Time Machine compatible, port triggering, dynamic IP mode, IP-MAC binding, DHCP client, IGMP proxy, beamforming technology, dual band, router mode, Airtime Fairness, 4x4 MU-MIMO technology, DMZ support, PPTP server, Orthogonal Frequency Division Multiple Access (OFDMA), OpenVPN server, IPTV support, WPS button
Compliant Standards	IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.1x, IEEE 802.11n, UPnP, IEEE 802.11ac, IEEE 802.11ax, Wi-Fi CERTIFIED 6, FCC, RoHS
Processor	1.5 GHz
Line Properties	
Line Coding Format	OFDMA
Expansion / Connectivity	
Interfaces	WAN / LAN: 1 x 10Base-T/100Base-TX/1000Base-T - RJ-45 WAN / LAN: 4 x 10Base-T/100Base-TX/1000Base-T - RJ-45 USB 3.0: 1 x
Aerial	
Aerial	External integrated
Antenna Qty	6
Power	
Power Device	External power adapter
Miscellaneous	
Cables Included	1 x network cable
Dimensions & Weight	
Width	27.25 cm
Depth	14.72 cm
Height	4.92 cm
Weight	1.49 kg
Manufacturer Warranty	
Service & Support	Limited warranty - 3 years
Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 90% (non-condensing)

