

ViewSonic X1-4K - For Xbox - DLP projector

LED - 3D - 2900 LED lumens - 3840 x 2160 - 16:9 - 4K

Group	Projectors
Manufacturer	ViewSonic
Manufacturer item no.	X1-4K
EAN/UPC	0766907019537



Description

Combining true 4K UHD resolution with HDR/HLG support, theater-level sound by Harman Kardon speakers and flexible installation capabilities, the X1-4K provides a bright choice for home entertainment. Powered by advanced 3rd generation LED technology, the X1-4K provides a 30,000-hour lifespan without frequent lamp replacement and toxic mercury, while delivering an impressive visual quality with high brightness of 2,900 Lumens and vibrant colors covering 125% Rec.709. The Harman Kardon dual speaker sets amplify audiovisual enjoyment to bring next-level immersion to any space. With vertical lens shift, 1.3x optical zoom, and side projection capabilities including H/V keystone and 4 corner adjustment, the X1-4K enhances installation, making set-up easier for big-screen fun at home. Screen mirroring via Wi-Fi also makes content streaming better than ever and the Bluetooth connectivity enables additional audio options, offering an even more intuitive and convenient user experience. The X1-4K is also the world's first projector that is Designed for Xbox, providing the ultimate gaming experience.

Main features

Product Description	ViewSonic X1-4K - for Xbox - DLP projector - 3D
Device Type	DLP projector - 4K
3D Capable	Yes (3D glasses sold separately)
Smart Capable	Yes
Built-in Devices	Keypad
Microdisplay	DMD Chip
Brightness	2900 LED lumens
Contrast Ratio	3000000:1 (dynamic)
Resolution	3840 x 2160
Native Aspect Ratio	16:9
Colour Support	1.07 billion colours
Bulb type	LED
Bulb life cycle	Up to 30000 hour(s) - normal mode
Storage Capacity	16 GB
Video Modes	480p, 720p, 1080i, 1080p, 480i, 576i, 576p, 2160p
Speakers	Speaker(s) - internal
Power	AC 100-240 V (50/60 Hz)
Power Consumption Operational	236 Watt

Dimensions (WxDxH)	35.5 cm x 12.1 cm x 24.4 cm
Weight	3.6 kg

Extended details

	General
Device Type	DLP projector - 4K
3D Capable	Yes (3D glasses sold separately)
Smart Capable	Yes
Built-in Devices	Keypad
Networking	802.11a/b/g/n/ac, Bluetooth 4.2
	Projector
Microdisplay	DMD Chip
Brightness	2900 LED lumens
Contrast Ratio	3000000:1 (dynamic)
Image Size	152.4 cm - 381 cm
Projection Distance	1.53 m - 4.98 m
Throw Ratio	1.15 - 1.5:1
Digital Zoom Factor	2x
Resolution	Ultra HD 4K - 3840 x 2160 (native) / 3840 x 2160 (resized)
Native Aspect Ratio	16:9
Colour Support	1.07 billion colours
Max Sync Rate (V x H)	240 Hz x 135 kHz
Bulb type	LED
Bulb life cycle	Up to 30000 hour(s) - normal mode
Controls & Adjustments	Keystone correction
OSD Languages	Hungarian, Czech, Indonesian, Thai, Chinese (traditional), Chinese (simplified), Vietnamese, English, German, French, Italian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Arabic, Japanese, Korean, Indic (Indian Languages)
Features	High Dynamic Range (HDR), Hybrid Log-Gamma (HLG), harman/kardon speakers, 125% Rec.709 coverage, Cinema SuperColor+ Technology, 4 Corner Correction, 4.2ms input lag, screen mirroring
	Lens
Focus Type	Manual
Lens Aperture	F/2.48-2.78
Zoom Type	Manual
Zoom Factor	1.3x
Keystone Correction Direction	Horizontal, vertical
Vertical Keystone Correction	-40 / +40
Horizontal Keystone Correction	-40 / +40

	Video Input
Video Interfaces	HDMI
Video Modes	480p, 720p, 1080i, 1080p, 480i, 576i, 576p, 2160p
	Media Player
Storage Capacity	16 GB
	Speakers
Type	Internal
Sound Output Mode	Stereo
Output Power / Channel	6 Watt
	Expansion / Connectivity
Interfaces	1 x USB-C 2 x HDMI 2 x USB - 4 pin USB Type A 1 x audio line-out - mini-phone stereo 3.5 mm 1 x serial RS-232 (management)
	Miscellaneous
Included Accessories	Remote control
Cables Included	1 x USB-C cable - 1 m
Mounting Kit	Optional
Security Features	Security lock slot (cable lock sold separately)
Security Slot Type	Kensington security slot
Compliant Standards	ICES-003 Class B, TUV SUD, HDCP 2.2, HDCP 1.4, TÜV safety certification, NMB-003 Class B
	Power
Power Source	AC
Voltage Required	AC 100-240 V (50/60 Hz)
Power Consumption Operational	236 Watt
Power Consumption Stand by	0.5 Watt
	Dimensions & Weight
Width	35.5 cm
Depth	12.1 cm
Height	24.4 cm
Weight	3.6 kg
	Dimensions & Weight (Shipping)
Shipping Width	49 cm
Shipping Depth	31.3 cm
Shipping Height	37.6 cm
Shipping Weight	5.5 kg
	Manufacturer Warranty
Service & Support	Limited warranty - parts and labour - 5 years - pick-up and return Limited warranty - light source - 5 years - 20000 hours
	Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 90% (non-condensing)
Sound Emission	33 dB
Sound Emission (Economic Mode)	29 dB

Technical data © 1WorldSync. Subject to technical modifications and errors.