



Xerox VersaLink C8000V/DT - Printer

colour - Duplex - laser - A3 - 1200 x 2400 dpi - up to 45 ppm (mono) / up to 45 ppm (colour) - capacity: 1140 sheets - Gigabit LAN - USB host - NFC - USB 3.0

Group	Printers
Manufacturer	Xerox
Manufacturer item no.	C8000V_DT
EAN/UPC	0095205880915

Description

When you need professional color, flawless reliability and superior productivity in a well-connected printer, count on the VersaLink C8000 printers. The feature-rich, app-enabled C8000 is ready to be customized as your workplace assistant.

Main features

Product Description	Xerox VersaLink C8000V/DT - printer - colour - laser
Printer Type	Workgroup printer - laser - colour
Weight	80.8 kg
Media Size Class	A3
Max Media Size	320 x 1320.8 mm
Min Media Size (Custom)	88.9 mm x 98.4 mm
Max Media Size (Custom)	320 mm x 1320.8 mm
Print Speed	Up to 45 ppm - B/W - A4 (210 x 297 mm) ¦ Up to 45 ppm - colour - A4 (210 x 297 mm) ¦ Up to 26 ppm - B/W - Legal (216 x 356 mm) ¦ Up to 26 ppm - colour - Legal (216 x 356 mm) ¦ Up to 22 ppm - B/W - A3 (297 x 420 mm) ¦ Up to 22 ppm - colour - A3 (297 x 420 mm) ¦ Up to 21 ppm - B/W - SRA3 (320 x 450 mm) ¦ Up to 21 ppm - colour - SRA3 (320 x 450 mm) ¦ Up to 40 ppm - B/W duplex - A4 (210 x 297 mm) ¦ Up to 40 ppm - colour duplex - A4 (210 x 297 mm) ¦ Up to 26 ppm - B/W duplex - Legal (216 x 356 mm) ¦ Up to 26 ppm - colour duplex - Legal (216 x 356 mm) ¦ Up to 22 ppm - B/W duplex - A3 (297 x 420 mm) ¦ Up to 22 ppm - colour duplex - A3 (297 x 420 mm) ¦ Up to 15 ppm - B/W duplex - SRA3 (320 x 450 mm) ¦ Up to 15 ppm - colour duplex - SRA3 (320 x 450 mm)
Max Resolution (B&W)	1200 x 2400 dpi
Max Resolution (Colour)	1200 x 2400 dpi
Max Resolution Class (B&W)	1200 x 2400 dpi
Max Resolution Class (Colour)	1200 x 2400 dpi



Automatic Duplexing	Yes
Interface	Gigabit LAN, USB host, NFC, USB 3.0
AirPrint Enabled	Yes
Preview Screen Size	5"
Processor	1.6 GHz
RAM Installed (Max)	4 GB
Language Simulation	PCL 5E, PostScript 3, PCL 6, HP GL, PDF, XPS, TIFF, JPEG
Media Type	Envelopes, labels, plain paper, bond paper, recycled paper, card stock, preprinted paper, postcards, glossy paper
Total Media Capacity	1140 sheets
Media Handling	100-sheet bypass tray, 2x 520-sheet input tray
Monthly Duty Cycle (max)	205000 pages
Recommended Monthly Volume	20000 pages
Networking	Print server
Power	AC 230V
System Requirements	IBM AIX, HP-UX, SuSe Linux, Red Hat Enterprise Linux, Microsoft Windows 7, Microsoft Windows Server 2008 SP2, Microsoft Windows Server 2008 R2 SP1, Oracle Solaris, Windows 8, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2, Windows 8.1, Windows 10, Apple MacOS X 10.11, Microsoft Windows Server 2016, Apple macOS 10.12, Apple macOS 10.13
Dimensions (WxDxH)	62 cm x 72.3 cm x 80.93 cm

Extended details

General	
Printer Type	Workgroup printer - laser - colour
Printer	
Print Speed	Up to 45 ppm - B/W - A4 (210 x 297 mm) ¦ Up to 45 ppm - colour - A4 (210 x 297 mm) ¦ Up to 26 ppm - B/W - Legal (216 x 356 mm) ¦ Up to 26 ppm - colour - Legal (216 x 356 mm) ¦ Up to 22 ppm - B/W - A3 (297 x 420 mm) ¦ Up to 22 ppm - colour - A3 (297 x 420 mm) ¦ Up to 21 ppm - B/W - SRA3 (320 x 450 mm) ¦ Up to 21 ppm - colour - SRA3 (320 x 450 mm) ¦ Up to 40 ppm - B/W duplex - A4 (210 x 297 mm) ¦ Up to 40 ppm - colour duplex - A4 (210 x 297 mm) ¦ Up to 26 ppm - B/W duplex - Legal (216 x 356 mm) ¦ Up to 26 ppm - colour duplex - Legal (216 x 356 mm) ¦ Up to 22 ppm - B/W duplex - A3 (297 x 420 mm) ¦ Up to 22 ppm - colour duplex - A3 (297 x 420 mm) ¦ Up to 15 ppm - B/W duplex - SRA3 (320 x 450 mm) ¦ Up to 15 ppm - colour duplex - SRA3 (320 x 450 mm)
Built-in Devices	Touch screen
Preview Screen Size	5"
Connectivity Technology	Wired
Interface	Gigabit LAN, USB host, NFC, USB 3.0
AirPrint Enabled	Yes
Max Resolution (B&W)	1200 x 2400 dpi
Max Resolution (Colour)	1200 x 2400 dpi
Max Resolution Class (B&W)	1200 x 2400 dpi
Max Resolution Class (Colour)	1200 x 2400 dpi

Automatic Duplexing	Yes
PostScript Support	Standard
First Print Out Time B/W	9.7 sec
First Print Out Time Colour	11 sec
Language Simulation	PCL 5E, PostScript 3, PCL 6, HP GL, PDF, XPS, TIFF, JPEG
Fonts Included	136 x PostScript 83 x PCL
Media Handling	100-sheet bypass tray, 2x 520-sheet input tray
Processor	
Processor	1.6 GHz
RAM	
RAM Installed (Max)	4 GB
Media Handling	
Media Type	Envelopes, labels, plain paper, bond paper, recycled paper, card stock, preprinted paper, postcards, glossy paper
Media Size Class	A3
Max Media Size	320 x 1320.8 mm
Min Media Size (Custom)	88.9 mm x 98.4 mm
Max Media Size (Custom)	320 mm x 1320.8 mm
Media Sizes	Legal (216 x 356 mm), A4 (210 x 297 mm), A3 (297 x 420 mm), 100 x 148 mm, SRA3 (320 x 450 mm), 297 x 431.8 mm
Media Weight	64 g/m ² - 300 g/m ²
Total Media Capacity	1140 sheets
Media Feeders	Bypass tray: 1 x automatic - 100 sheets - 320 x 1320.8 mm weight: 64 g/m ² - 300 g/m ² Input tray: 1 x automatic - 520 sheets - 297 x 431.8 mm weight: 64 g/m ² - 300 g/m ² Input tray: 1 x automatic - 520 sheets - 320 x 457.2 mm weight: 64 g/m ² - 300 g/m ²
Max Media Capacity	5140 sheets
Output Trays Capacity	500 sheets
Duty Cycle	
Monthly Duty Cycle (max)	205000 pages
Recommended Monthly Volume	20000 pages
Networking	
Networking	Print server
Remote Management Protocol	SNMP 3, HTTP, HTTPS
Security Protocols & Features	Secure Print, SSL, TLS, IPsec, IP filtering
Expansion / Connectivity	
Connections	1 x USB 3.0 1 x Gigabit LAN - RJ-45 USB host - 4 pin USB Type A
Miscellaneous	
Compliant Standards	FIPS 140-2
Power	
Power Device	Power supply - internal
Voltage Required	AC 230V
Frequency Required	50/60 Hz
Power Consumption Operational	2320 Watt



Power Consumption Stand by	73.8 Watt
----------------------------	-----------

Power Consumption Sleep	0.53 Watt
-------------------------	-----------

Software / System Requirements

OS Required	IBM AIX, HP-UX, SuSe Linux, Red Hat Enterprise Linux, Microsoft Windows 7, Microsoft Windows Server 2008 SP2, Microsoft Windows Server 2008 R2 SP1, Oracle Solaris, Windows 8, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2, Windows 8.1, Windows 10, Apple MacOS X 10.11, Microsoft Windows Server 2016, Apple macOS 10.12, Apple macOS 10.13
-------------	---

Environmental Standards

ENERGY STAR	Yes
-------------	-----

Manufacturer Warranty

Service & Support	Limited warranty - 1 year - on-site
-------------------	-------------------------------------

Environmental Parameters

Min Operating Temperature	10 °C
---------------------------	-------

Max Operating Temperature	28 °C
---------------------------	-------

Humidity Range Operating	15 - 85%
--------------------------	----------

Sound Emission (Idle)	15.4 dBA
-----------------------	----------

Sound Emission (Operating)	56.8 dBA
----------------------------	----------

Dimensions & Weight

Width	62 cm
-------	-------

Depth	72.3 cm
-------	---------

Height	80.93 cm
--------	----------

Weight	80.8 kg
--------	---------

Dimensions & Weight (Shipping)

Width (Shipping)	83.3 cm
------------------	---------

Depth (Shipping)	71.7 cm
------------------	---------

Height (Shipping)	85.2 cm
-------------------	---------

Weight (Shipping)	95 kg
-------------------	-------

Technical data © CNET Content Solutions. Subject to technical modifications and errors.